


**Construction Engineering
Research Laboratory**

ERDC/CERL TR-06-12



**US Army Corps
of Engineers®**

Engineer Research and
Development Center

Co-occurrence of Invasive Species on Priority TES Installations

Patrick J. Guertin and Scott Tess

May 2006

Co-occurrence of Invasive Species on Priority TES Installations

Patrick J. Guertin and Scott Tess

*Construction Engineering Research Laboratory
PO Box 9005
Champaign, IL 61826-9005*

Final Report

Approved for public release; distribution is unlimited.

Prepared for U.S. Army Corps of Engineers
 Washington, DC 20314-1000

Under Work Unit #LB6D4B

ABSTRACT: Threatened and Endangered Species (TES) pose a significant conservation and compliance challenge for natural resources management on military lands. In FY 2003, the Army spent over \$30 million dollars on TES management issues. In addition to the stewardship challenges TES represent to the Army, TES are a significant factor in the restriction of military activities on training lands and thus affect military readiness. One factor that may represent a significant threat to the Army's ability to effectively manage TES and their habitat on military lands is the presence of Non-Indigenous Species (NIS). NIS alter the structure, function, and organization of ecological systems, thereby affecting the suitability of the habitat to support endangered populations.

This research documents invasive plant species that have a high probability of existing in the same geographical areas as Army installations that have populations of high priority TES. This study is limited to Army installations with current populations of the top seven high-priority, federally listed, TES.

DISCLAIMER: The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products. All product names and trademarks cited are the property of their respective owners. The findings of this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED. DO NOT RETURN IT TO THE ORIGINATOR.

Contents

| | |
|---|------------|
| List of Figures and Tables | iv |
| Conversion Factors | v |
| Preface..... | vi |
| 1 Introduction | 1 |
| Background..... | 1 |
| Objective..... | 1 |
| Approach | 2 |
| Scope..... | 2 |
| Mode of Technology Transfer | 2 |
| 2 Methodology..... | 3 |
| TES Data | 3 |
| NIS Data | 6 |
| TES/NIS Combined Data Table | 8 |
| 3 Discussion | 9 |
| References and Species-related Citations | 11 |
| Appendix A: NIS Associated with Installations with TES Populations | 12 |
| Appendix B: Information Sources for NIS Data..... | 223 |
| Report Documentation Page | 228 |

List of Figures and Tables

Figures

Figure 1. The priority TES according to number of installations on which they occur. 4

Tables

Table 1. Army Installations with the top seven TES populations..... 4

Table 2. Number of possible NIS species for installations with top seven TES..... 6

Table 3. Potential effects of NIS at differing scales (Macdonald et al. 1989)..... 9

Conversion Factors

Non-SI* units of measurement used in this report can be converted to SI units as follows:

| Multiply | By | To Obtain |
|---|--|-----------------|
| acres | 4,046.873 | square meters |
| cubic feet | 0.02831685 | cubic meters |
| cubic inches | 0.00001638706 | cubic meters |
| degrees (angle) | 0.01745329 | radians |
| degrees Fahrenheit | (5/9) x ($^{\circ}\text{F}$ – 32) | degrees Celsius |
| degrees Fahrenheit | (5/9) x ($^{\circ}\text{F}$ – 32) + 273.15. | kelvins |
| feet | 0.3048 | meters |
| gallons (U.S. liquid) | 0.003785412 | cubic meters |
| horsepower (550 ft-lb force per second) | 745.6999 | watts |
| inches | 0.0254 | meters |
| kips per square foot | 47.88026 | kilopascals |
| kips per square inch | 6.894757 | megapascals |
| miles (U.S. statute) | 1.609347 | kilometers |
| pounds (force) | 4.448222 | newtons |
| pounds (force) per square inch | 0.006894757 | megapascals |
| pounds (mass) | 0.4535924 | kilograms |
| square feet | 0.09290304 | square meters |
| square miles | 2,589,998 | square meters |
| tons (force) | 8,896.443 | newtons |
| tons (2,000 pounds, mass) | 907.1847 | kilograms |
| yards | 0.9144 | meters |

* *Système International d'Unités* ("International System of Measurement"), commonly known as the "metric system."

Preface

This study was conducted for the Office of the Director of Environmental Programs under A896, "Base Facilities Environmental Quality"; Work Unit number LB6D4B, "Threat Assessment of Invasive Species on TES." The technical monitor was Mr. William Woodson, DAIM-ED.

The work was performed by the Ecological Processes Branch (CN-N) of the Installations Division (CN), Construction Engineering Research Laboratory (CERL). The CERL Principal Investigator was Patrick J. Guertin. Steve Hodapp is Program Manager for the Army endangered species research program. Alan B. Anderson is Chief, CEERD-CN-N, and L. Michael Golish is Acting Chief, CEERD-CN. The associated Technical Director was Dr. William D. Severinghaus, CEERD-CV-T. The Acting Director of CERL is Dr. Ilker Adiguzel.

CERL is an element of the U.S. Army Engineer Research and Development Center (ERDC), U.S. Army Corps of Engineers. The Commander and Executive Director of ERDC is COL James R. Rowan, and the Director of ERDC is Dr. James R. Houston.

1 Introduction

Background

Threatened and Endangered Species (TES) pose a significant conservation and compliance challenge for natural resources management on military lands. As of 2003, 175 Federally Threatened or Endangered species were identified on 99 Army installations (Rubinoff et al. 2004). In FY 2003, the Army spent over \$30 million dollars on TES management issues (Rubinoff et al. 2004). In addition to the stewardship challenges TES represent to the Army, TES are a significant factor in the restriction of military activities on training lands and thus affect military readiness.

One factor that may represent a significant threat to the Army's ability to effectively manage TES and their habitat on military lands is the presence of Non-Indigenous Species (NIS). To date, no comprehensive study has been conducted to understand the impact NIS may have on military TES. However, considering that NIS represent a significant threat to TES in general; being the main cause for the listing of 46% of all TES (Wilcove et al. 1998), affecting 30% of all threatened birds, and 15% threatened plant species, and that NIS represent the second largest threat to global diversity annually (GovExec.com, December 18, 2003); the threat has a certain probability to be real. NIS alter the structure, function, and organization of ecological systems (Sheley and Petroff 1999). These alterations impact the suitability of habitat to support endangered populations.

Objective

The objective of this research is to document invasive plant species that have a high probability of existing in the same geographical areas as Army installations that have populations of high priority TES. High priority TES were identified by the Army Conservation Technology Team based on the current or potential risk of training restrictions associated with that species or its habitat. Not surprisingly, these species are among the list of highest reported management costs on a per-species basis (Rubinoff et al. 2004). NIS refers to any species (e.g., plant, animal, or insect) that is non-native to the geographical area in question. For this report, only plant species were investigated; therefore, in the context of this report, the terms NIS and invasive plants are used interchangeably.

Understanding the potential for a defined group of NIS to exist on and near installations is the first step in understanding which invasive species may have a direct impact on a threatened or endangered species.

Approach

The approach for this investigation was divided into two steps. The first step was to develop a list of Army installations that are identified as having populations of the top seven priority TES. These species are: desert tortoise (*Gopherus agassizii*), gopher tortoise (*Gopherus polyphemus*), grey bat (*Myotis grisescens*), Indiana bat (*Myotis sodalis*), red-cockaded woodpecker (*Picoides borealis*), black-capped vireo (*Vireo atricapillus*), and golden cheeked warbler (*Dendroica chrysoparia*). The second step was to compile a database of all potential NIS that may reside on installations or have the potential to invade into installations that may have priority TES.

Scope

The scope of this study is limited to Army installations with current populations of the top seven high-priority, federally listed, TES as defined within the *Army Environmental Requirement 4.3.e*, “Non-Native Invasive Species Control for Army Installations and Operations.” The scope is also limited to NIS investigation of invasive plant species.

Mode of Technology Transfer

This research can be used by installation land managers as the first building block in assessing interactions and impacts on TES from non-indigenous species.

This report will be made accessible through the World Wide Web (WWW) at URL:

<http://www.cecer.army.mil>

2 Methodology

Methodology for this study comprised (1) development of data covering threatened and endangered species on specific Army installations, (2) development of data representing probable NIS populations on these installations, and (3) development of a database pairing these results. Data development focused primarily on Army sources of data for TES distribution and federal, state, and local government sources, as well as from private conservation groups for NIS data. Full descriptions of data and sources are provided in the following sections. Data was compiled in a database with each TES occurring on an installation paired with all NIS that had the potential to exist within that geographical area. Additionally, each NIS listed contains the county in which it has been reported as occurring (Appendix A).

TES Data

As identified in *Army Environmental Requirement 4.3.e*, “Non-Native Invasive Species Control for Army Installations and Operations,” the seven priority threatened species included in this study are: desert tortoise (*Gopherus agassizii*), gopher tortoise (*Gopherus polyphemus*), grey bat (*Myotis grisescens*), Indiana bat (*Myotis sodalis*), red-cockaded woodpecker (*Picoides borealis*), black-capped vireo (*Vireo atricapillus*), and golden cheeked warbler (*Dendroica chrysoparia*). All TES population data used in this study came from the 2001 TES survey compiled by the Army Environmental Center, the best available data source at the time. AEC published 2003 survey results in mid-year 2004. The 2003 data included minor changes in installations listed; however these changes were not included as accompanying NIS data was not available. The 2001 AEC survey only accounted for federally listed species; therefore, installations that may have a population that is listed in one part of the country but not in all areas, were not considered. One example of this scenario is the gopher tortoise; the western population is listed as threatened and occurs on Camp Shelby, Mississippi, while the eastern population that is not listed occurs on several installations including Fort Stewart, Georgia, and Fort Rucker, Alabama, so only Camp Shelby is listed.

In summary, 36 Army installations were reported as having priority TES populations, with 7 installations having 2 different species. The number of installations per species is depicted in Figure 1. Table 1 lists installations and their corresponding TES that were considered in this study.




Figure 1. The priority TES according to number of installations on which they occur.

Table 1. Army Installations with the top seven TES populations.

| Scientific Name | Common Name | Federal Status | MACOM | Installation | Location |
|----------------------------|-----------------|----------------|---------|-------------------------------|------------|
| <i>Gopherus agassizii</i> | Desert tortoise | T | ARNG | Clark County Training Area | Onsite |
| | | | ARNG | Florence Military Reservation | Onsite |
| | | | FORSCOM | Fort Irwin | Onsite |
| <i>Gopherus polyphemus</i> | Gopher tortoise | T | ARNG | Camp Shelby | Onsite |
| <i>Myotis grisescens</i> | Grey bat | E | AMC | Holston Army Ammunition Plant | Onsite |
| | | | AMC | Indiana AAP | Onsite |
| | | | AMC | Redstone Arsenal | Onsite |
| | | | ARNG | Fort McClellan | Onsite |
| | | | ARNG | Tullahoma Training Site | Contiguous |
| | | | ARNG | Wendall H Ford Training Site | Onsite |
| | | | FORSCOM | Fort Campbell | Onsite |
| | | | TRADOC | Fort Knox | Onsite |
| | | | TRADOC | Fort Leonard Wood | Onsite |
| | | | TRADOC | Fort Rucker | Contiguous |

| Scientific Name | Common Name | Federal Status | MACOM | Installation | Location |
|------------------------------|-------------------------|----------------|---------|-------------------------------------|------------|
| <i>Myotis sodalis</i> | Indiana bat | E | AMC | Iowa AAP | Onsite |
| | | | AMC | Newport Chemical Activity | Onsite |
| | | | AMC | Picatinny Arsenal | Onsite |
| | | | AMC | Redstone Arsenal | Contiguous |
| | | | ARNG | Atterbury Training Site | Onsite |
| | | | ARNG | Macon Training Site | Contiguous |
| | | | FORSCOM | Fort Campbell | Onsite |
| | | | FORSCOM | Fort Drum | Contiguous |
| | | | TRADOC | Fort Knox | Onsite |
| | | | TRADOC | Fort Leonard Wood | Onsite |
| | | | USACE | Jefferson Proving Ground | Onsite |
| | | | USMA | West Point | Onsite |
| <hr/> | | | | | |
| <i>Picoides borealis</i> | Red-cockaded woodpecker | E | ARNG | Camp Beauregard | Contiguous |
| | | | ARNG | Camp Blanding | Onsite |
| | | | ARNG | Camp Shelby | Contiguous |
| | | | ARNG | Leesburg Training Site | Onsite |
| | | | FORSCOM | Fort Bragg | Onsite |
| | | | FORSCOM | Fort Polk | Onsite |
| | | | FORSCOM | Fort Stewart | Onsite |
| | | | MTMC | Military Ocean Terminal-Sunny Point | Onsite |
| | | | TRADOC | Fort Benning | Onsite |
| | | | TRADOC | Fort Gordon | Onsite |
| | | | TRADOC | Fort Jackson | Onsite |
| <hr/> | | | | | |
| <i>Vireo atricapillus</i> | Black-capped Vireo | E | ARNG | Camp Barkeley | Onsite |
| | | | FORSCOM | Fort Hood | Onsite |
| | | | MEDCOM | Fort Sam Houston | Onsite |
| | | | TRADOC | Fort Sill | Onsite |
| <hr/> | | | | | |
| <i>Dendroica chrysoparia</i> | Golden-cheeked Warbler | E | FORSCOM | Fort Hood | Onsite |
| | | | MEDCOM | Fort Sam Houston | Onsite |

NIS Data

NIS information was gathered through a number of federal, state, and local government sources, as well through non-governmental groups. The primary source for most of this data was the U.S. Department of Agriculture, Natural Resource Conservation Service with supplemental data coming from entities such as the The Nature Conservancy, the University of Montana, Purdue University, and state natural resource agencies. A complete list of sources is presented in Appendix B.

The approach for data gathering was to obtain species lists of NIS plants that occur in counties that contain installations and those counties that border installations. The rationale was that given their geographic location, there was a probability of NIS either occurring on installations or having the possibility of occurring in the future. A full list of all NIS occurring by state, county and bordering county is presented in Appendix A. Installations that occur close to state boundaries may have species data listed from counties both in the state in which the installation occurs and in counties in bordering states. An example is Holston Army Ammunition Plant (AAP), which is near the Tennessee/Virginia border. A synopsis of the data is presented in Table 2.

Every effort was made to develop a complete invasives list at county levels; however, several states did not have this information available. States listed in Table 2 with an asterisk(*) appearing under the column heading "#NIS Possible for Installation" did not have county-level data. Additionally, data for Indiana was recorded at a regional (multiple county) level.

Table 2. Number of possible NIS species for installations with top seven TES.

| State | Installation | # NIS Possible for Installation | # NIS Possible for Total Installations |
|------------|------------------|---------------------------------|--|
| Alabama | | | 103 |
| | Redstone Arsenal | 103* | |
| | Fort McClellan | 103* | |
| | Fort Rucker | 103* | |
| Arizona | | | 44 |
| | Florence MR | 44* | |
| California | | | 28 |
| | Fort Irwin | 28 | |
| Florida | | | 473 |
| | Camp Blanding | 473 | |
| Georgia | | | 32 |
| | Fort Benning | 13 | |
| | Fort Gordon | 6 | |
| | Fort Stewart | 32 | |

| State | Installation | # NIS Possible for Installation | # NIS Possible for Total Installations |
|----------------|---|--|---|
| Iowa | | | 29 |
| | Iowa AAP | 29* | |
| Indiana | | | 53 |
| | Atterbury Training Site | 27 | 53 |
| | Indiana Army Ammunition Plant | 23 | |
| | Jefferson Proving Ground | 23 | |
| | Newport Chemical Activity | 23 | |
| Kentucky | | | 97 |
| | Fort Campbell | 63 | |
| | Fort Knox | 74 | |
| | Wendall H Ford Training Site | 53 | |
| Louisiana | | | 53 |
| | Camp Beauregard | 53* | |
| | Fort Polk | 53* | |
| Missouri | | | 104 |
| | Fort Leonard Wood | 78 | |
| | Macon Training Site | 65 | |
| Mississippi | | | 37 |
| | Camp Shelby | 37* | |
| North Carolina | | | 33 |
| | Fort Bragg | 13 | |
| | Military Ocean Terminal - Sunny Point | 4 | |
| New Jersey | | | 24 |
| | Picatinny Arsenal | 24* | |
| Nevada | | | 41 |
| | | | |
| New York | | | 22 |
| | Fort Drum | 22* | |
| | West Point | 22* | |
| Oklahoma | | | 36 |
| | Fort Sill | 36* | |
| South Carolina | | | 66 |
| | Fort Gordon | 16 | |
| | Fort Jackson and Leesburg Training Site | 27 | |
| Tennessee | | | 121 |
| | Fort Campbell | 116 | |
| | Holsten Army Ammunition Plant | 69 | |
| | Tullahoma Training Site | 68 | |

| State | Installation | # NIS Possible for Installation | # NIS Possible for Total Installations |
|--|---------------------------------------|--|---|
| Texas | Fort Hood | 77* | |
| | Camp Barkeley | 77* | |
| | Fort Sam Houston | 77* | |
| Virginia | Holsten AAP | 57 | |
| | Military Ocean Terminal - Sunny Point | 4 | |
| Entries with an asterisk (*) are based on state-wide data as county data was not available. When state totals (column 4) exceeds combined installation values it is usually due to species without county data. | | | |

TES/NIS Combined Data Table

The resulting database from pairing up TES with NIS by counties containing or bordering an installation with a priority TES was extensive, with over 3,000 entries (Appendix A). Data fields included in the database are: TES, NIS common name, NIS scientific name, NIS life form (forb, grass, vine, tree), NIS habitat (where available; open, wetlands, aquatic, forest), installation, county and/or bordering county, and state. Entries without county information reflect the lack of a reliable data source for this information. These entries do not have an installation listed as the NIS may occur on or near any installation within the state. Multiple entries for any particular NIS for an installation reflects the NIS occurring in more than one county.

3 Discussion

Analysis was based on the review of literature and state, federal, and private agency input connecting the documented occurrence of individual NIS to an installation containing a priority TES population. Pairing potential NIS occurrence with installations accounted for 34 installations with top seven priority TES on site and as many as 400+ NIS potentially occurring on one installation.

The potential impacts invasives may have on any TES species depends upon the niche the species occupies in the landscape. NIS impact the structure, function, and organization of ecological systems (Sheley and Petroff 1999). These impacts occur at various levels and affect numerous ecological processes. Table 3 lists the levels and processes as defined by MacDonald et al. (1989).

Table 3. Potential effects of NIS at differing scales (Macdonald et al. 1989)

| |
|------------------------------------|
| Ecosystem-level effects |
| Altered geomorphological processes |
| Erosion rate |
| Sedimentation rate |
| Elevation |
| Water channels |
| Altered hydrological cycling |
| Water-holding capacity |
| Water-table depth |
| Surface-flow patterns |
| Altered biogeochemical cycling |
| Nutrient mineralization rate |
| Nutrient immobilization rate |
| Soil and water chemistry |
| Altered disturbance regime |
| Type |
| Frequency |
| Intensity |
| Duration |

| |
|------------------------------------|
| Community/population-level effects |
| Altered stand structure |
| New life form |
| Vertical structure |
| Altered recruitment of natives |
| Allelopathy |
| Microclimate shift |
| Physical barrier |
| Altered resource competition |
| Light absorption |
| Water intake |
| Nutrient uptake |
| Space preemption |

In the case of the Army's priority TES, invasive plants would most likely pose an indirect threat to the TES through altering required habitat. The NIS would directly impact native plant species, displacing them etc., which in turn would impact required TES habitat. Depending on the TES, these habitats included nesting, foraging, and brooding.

An example of these habitat alterations, placed in context of McDonald's definition of potential impacts (Table 3), would be non-native vining species interfering with the maternity roosting and foraging habitat of Indiana bat. During the summer months, maternity colonies roost under loose tree bark "commonly located in bottomland or riparian areas" (Garner and Garner 1992). Additionally, the bats primarily forage in closed canopy riparian forests (Evans et al. 1998) and will also forage in upland forests with closed canopies especially when water is present (Garner and Garner 1992). Camp Atterbury has Indiana bats on post along with at least three species of vining NIS: Oriental bittersweet (*Celastrus orbiculatus*), purple winter creeper (*Euonymus fortunei*), and creeping Jenny (*Lysimachia nummularia*). These three NIS all inhabit forest environments, where they have the potential to grow up tree trunks and limbs of dead and live trees, thus altering the stand structure by introducing a new plant form, effecting the recruitment of native plant species, and blocking access to tree trunks ideally suited for roosting. As with many installations, Camp Atterbury restricts human activities in and around riparian areas. Given these limitations non-native invasive species have the potential to have greater impacts on TES than military and land management activities.

References and Species-related Citations

- Evans, D.E., W.A. Mitchell, and R.A. Fischer. 1998. *Species profile: Indiana Bat (*Myotis sodalis*) on Military Installations in the Southeastern United States.* TR-SERDP-98-3. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Garner, J.D. and J.E. Gardner. 1992. *Determination and Summer Distribution and Habitat Utilization of the Indiana Bat (*Myotis sodalis*) in Illinois.* Illinois Department of Conservation. Final Report No. E-3. Springfield, IL.
- GOVEXEC.com, December 18, 2003. <http://www.govexec.com/dailyfed/1203/121803cdpm1.htm>
- MacDonald, I.A., L.L. Loope, M.B. Usher, and O. Hamann. 1989. "Wildlife conservation and invasion of nature reserves by introduced species: a global perspective." Pages 215-255 in J.A. Drake, H.A. Mooney, F. di Castri, R.H. Groves, F.J. Kruger, M. Rejmanek, and M. Williamson, editors, *Biological invasions. Global perspective.* SCOPE 37. John Wiley & Sons, Chichester, UK.
- Rubinoff, Jay, Steven Sekscienski, and Bill Woodson. 2004. *Installation Summaries from the FY 2003 Survey of Threatened and Endangered Species on Army Lands,* SFIM-AEC-TS-TR-2004005.
- Sheley, Roger L. and Janet K. Petroff. 1999. *Biology and Management of Noxious Rangeland Weeds.* Oregon State University Press, Corvallis.
- Wilcove, D.S., D. Rothstein, J. Dubow, A. Phillips, and E. Losos. 1998. "Quantifying threats to imperiled species in the United States." *BioScience* 48:607-615.

Appendix A: NIS Associated with Installations with TES Populations

Column Key

| | |
|-----------------|--|
| Installation | Army installation reference for data record. |
| State | State installation occurs in. |
| T&E | Threatened or Endangered species occurring on installation. |
| NIS | Non-indigenous Species (invasive) associated with installation. |
| Scientific name | Scientific name of NIS. |
| Form | Life form of NIS. |
| Habitat | Habitat type species is most likely to occur in; F-Forest, A-Aquatic, O-Open, W-Woodland. |
| County | The county that both the installation occurs in and the NIS has been documented as occurring in. |
| Border County | A county that borders an installation and the NIS has been documented as occurring in. |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------|-----------------------|--------------------------------|-------|---------|--------|---------------|
| Atterbury TS | IN | Indiana Bat | Norway Maple | <i>Acer platanoides L.</i> | tree | F | | |
| Atterbury TS | IN | Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | |
| Atterbury TS | IN | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | |
| Atterbury TS | IN | Indiana Bat | Black alder | <i>Alnus glutinosa</i> | forb | F | | |
| Atterbury TS | IN | Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | |
| Atterbury TS | IN | Indiana Bat | Oriental Bittersweet | <i>Celastrus orbiculatus</i> | vine | O,F | | |
| Atterbury TS | IN | Indiana Bat | Canada thistle | <i>Cirsium arvense</i> | forb | O | | |
| Atterbury TS | IN | Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | | |
| Atterbury TS | IN | Indiana Bat | Bush Honeysuckle | <i>Diervilla P. Mill.</i> | forb | F | | |
| Atterbury TS | IN | Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | |
| Atterbury TS | IN | Indiana Bat | Winged Burning Bush | <i>Euonymus alata</i> | forb | F | | |
| Atterbury TS | IN | Indiana Bat | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| Atterbury TS | IN | Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | |
| Atterbury TS | IN | Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | |
| Atterbury TS | IN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | |
| Atterbury TS | IN | Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | |
| Atterbury TS | IN | Indiana Bat | Tall Fescue | <i>Lolium arundinaceum</i> | grass | O | | |
| Atterbury TS | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |
| Atterbury TS | IN | Indiana Bat | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | |
| Atterbury TS | IN | Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | |
| Atterbury TS | IN | Indiana Bat | Japanese Stilt Grass | <i>Microstegium vimineum</i> | grass | O,F | | |
| Atterbury TS | IN | Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | | |
| Atterbury TS | IN | Indiana Bat | Sleepydicke | <i>Ornithogalum umbellatum</i> | forb | O,F | | |
| Atterbury TS | IN | Indiana Bat | Reed Canary Grass | <i>Phalaris arundinacea</i> | grass | O,W | | |
| Atterbury TS | IN | Indiana Bat | Black locust | <i>Robinia pseudoacacia L.</i> | tree | O | | |
| Atterbury TS | IN | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | |
| Atterbury TS | IN | Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|------------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguay Starburr | <i>Acanthospermum australe</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Joyweed | <i>Alternanthera flavescens</i> | forb | W,A | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | False Moneywort | <i>Alysicarpus ovalifolius</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Amaranth | <i>Amaranthus spinosus</i> | forb | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Grassnut | <i>Arachis prostrata</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Little Quakinggrass | <i>Briza minor</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watergrass | <i>Bulbostylis barbata</i> | grass | F,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mouseear Chickweed | <i>Cerastium glomeratum</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | March Parsley | <i>Clospermum letophyllum</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Taro | <i>Colocasia esculenta</i> | forb | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lanceleaf Rattlebox | <i>Crotalaria lanceolata</i> | forb | | Clay | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-----------------------|---------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Showy Rattlebox | <i>Crotalaria spectabilis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagagenensis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Epiphytic Flatsedge | <i>Cyperus lanceolatus</i> | grass | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Zarabacoa Comun | <i>Desmodium incanum</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Threeflower | <i>Desmodium triflorum</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Torus Herb | <i>Dorstenia contrajerva</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Gooseneckgrass | <i>Eleusine indica</i> | grass | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Florida Tasselflower | <i>Emilia fosbergii</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Centipedegrass | <i>Eremochloa ophiuroides</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Loquat | <i>Eriobotrya japonica</i> | tree | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Feather Lovegrass | <i>Erostis amabilis</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curtis' Spurge | <i>Euphorbia curtisii</i> | forb | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ditch Fimbrary | <i>Fimbristylis schoenoides</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fumitory | <i>Fumaria capreolata</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fineleaf Fumitory | <i>Fumaria parviflora</i> | forb | | Clay | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------------|----------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Arrasa Con Todo | <i>Gomphrena serrata</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Clasping Heliotrope | <i>Heliotropium amplexicaule</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Bushmint | <i>Hyptis mutabilis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Congongrass | <i>Imperata cylindrica</i> | grass | O,F | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera hirsuta</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Largeroot Morningglory | <i>Ipomoea macrorhiza</i> | vine | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Clover | <i>Kummerowia striata</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asian Spikesedge | <i>Kyllinga squamulata</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Malaysian Fals Pimpernel | <i>Lindernia crustacea</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Italian Ryegrass | <i>Lolium perenne</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Largeflower Primrosewillow | <i>Ludwigia grandiflora</i> | forb | W,A | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Peruvian Primrosewillow | <i>Ludwigia peruviana</i> | forb | W,A | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Black Medick | <i>Medicago lupulina</i> | forb | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Sweetclover | <i>Melilotus alba</i> | forb | O | Clay | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|--|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Nakedstem Dewflower | <i>Murdannia nudiflora</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Violet Woodsorrel | <i>Oxalis violacea</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bahiagrass | <i>Paspalum notatum</i> var. <i>saurae</i> | grass | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Vaseygrass | <i>Paspalum urvillei</i> | grass | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Timothy Canarygrass | <i>Phalaris angusta</i> | grass | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Canarygrass | <i>Phalaris canariensis</i> | grass | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Phlox | <i>Phlox drummondii</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chamber Bitter | <i>Phyllanthus urinaria</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | English Plantain | <i>Plantago lanceolata</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rabbitsfootgrass | <i>Polypogon monspeliensis</i> | grass | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguayan Purslane | <i>Portulaca amilis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Purslane | <i>Portulaca oleracea</i> | forb | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Black locust | <i>Robinia Pseudoacacia</i> | tree | O | Clay | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|-------------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Macarney Rose | <i>Rosa bracteata</i> | vine | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curly Dock | <i>Rumex crispus</i> | forb | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Cupscale | <i>Sacciolepis indica</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Water Spangles | <i>Salvinia minima</i> | forb | A | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coffeeweed | <i>Senna obtusifolia</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Septicweed | <i>Senna occidentalis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Bristlegrass | <i>Setaria pumila</i> | grass | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Field Burrweed | <i>Soliva sessilis</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smutgrass | <i>Sporobolus indicus</i> | grass | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Field Clover | <i>Trifolium campestre</i> | forb | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Texas Signalgrass | <i>Urochloa texana</i> | grass | O,W | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wand Mullein | <i>Verbascum virgatum</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | Clay | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Tuffbells | <i>Wahlenbergia linarioides</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Southern Rockbell | <i>Wahlenbergia marginata</i> | forb | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Wisteria | <i>Witeria sinensis</i> | vine | O | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | Clay | |
| Camp Blanding | FL | Red-cockaded Woodpecker | Florida Keys Indian Mallow | <i>Abutilon hirtum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cuban Copperleaf | <i>Acalypha setosa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguay Starburr | <i>Acanthospermum australe</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguay Starburr | <i>Acanthospermum australe</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguay Starburr | <i>Acanthospermum australe</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguay Starburr | <i>Acanthospermum australe</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguay Starburr | <i>Acanthospermum australe</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hispid Starburr | <i>Acanthospermum hispidum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tungoil Tree | <i>Aleurites fordii</i> | tree | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bugseedgrass | <i>Alloteropsis cimicina</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Parrotlily | <i>Alstroemeria pulchella</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Parrotlily | <i>Alstroemeria pulchella</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Washerwoman | <i>Alternanthera caracasana</i> | forb | W,A | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | St. John's |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Sessile Joyweed | <i>Alternanthera sessilis</i> | forb | A,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | False Moneywort | <i>Alysicarpus ovalifolius</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | False Moneywort | <i>Alysicarpus ovalifolius</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Amaranth | <i>Amaranthus blitum</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Amaranth | <i>Amaranthus blitum</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Amaranth | <i>Amaranthus blitum</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Love-Lies-Bleeding | <i>Amaranthus caudatus</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slim Amaranth, Pigweed | <i>Amaranthus hybridus</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Amaranth | <i>Amaranthus spinosus</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Amaranth | <i>Amaranthus spinosus</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Amaranth | <i>Amaranthus spinosus</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slender Amaranth | <i>Amaranthus viridis</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slender Amaranth | <i>Amaranthus viridis</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slender Amaranth | <i>Amaranthus viridis</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slender Amaranth | <i>Amaranthus viridis</i> | forb | O | | St. John's |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Large Bullwort | <i>Ammi majus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Scarlet Pimpernel | <i>Anagallis arvensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mayweed Chamomile | <i>Anthemis cotula</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Oldfieldgrass | <i>Anthephora hermaphrodita</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Vernalgrass | <i>Anthoxanthum aristatum</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coral Vine | <i>Antigonon leptopus</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Grassnut | <i>Arachis prostrata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coral Ardisia | <i>Ardisia crenata</i> | forb | F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Elegant Dutchman's-Pipe | <i>Aristolochia littoralis</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Elegant Dutchman's-Pipe | <i>Aristolochia littoralis</i> | vine | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mugwort | <i>Artemisia vulgaris</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Giant Reed | <i>Arundo donax</i> | grass | W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Garden Asparagus | <i>Asparagus officinalis</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-----------------------|--------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Asparagus forb | <i>Asparagus setaceus</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Oat | <i>Avena fatua var. sativa</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hedge Bamboo | <i>Bambusa multiplex</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wax Begonia | <i>Begonia cucullata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wax Begonia | <i>Begonia cucullata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Browne's Blechum | <i>Blechum pyramidatum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Eurasian Bluestem | <i>Bothriochloa bladhii</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Mustards | <i>Brassica rapa</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Little Quakinggrass | <i>Briza minor</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Little Quakinggrass | <i>Briza minor</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rescuegrass | <i>Bromus catharticus</i> | grass | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cheat | <i>Bromus secalinus</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cheat | <i>Bromus secalinus</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paper Mulberry | <i>Broussonetia papyrifera</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paper Mulberry | <i>Broussonetia papyrifera</i> | tree | | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-------------------------|--------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Corn Gromwell | <i>Buglossoides arvensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watergrass | <i>Bulbostylis barbata</i> | grass | F,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watergrass | <i>Bulbostylis barbata</i> | grass | F,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watergrass | <i>Bulbostylis barbata</i> | grass | F,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watergrass | <i>Bulbostylis barbata</i> | grass | F,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Straggler Daisy | <i>Calyptocarpus vialis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Garden Canna | <i>Canna generalis</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Garden Canna | <i>Canna generalis</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Shot | <i>Canna indica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Papaya | <i>Carica papaya</i> | tree | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Arrowleaf Butterfly Pea | <i>Centrosema sagittatum</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mouseear Chickweed | <i>Cerastium glomeratum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mouseear Chickweed | <i>Cerastium glomeratum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mouseear Chickweed | <i>Cerastium glomeratum</i> | forb | | | St. John's |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Lambsquaters | <i>Chenopodium album</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lambsquaters | <i>Chenopodium album</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Nettleleaf Goosefoot | <i>Chenopodium murale</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Red False Beardgrass | <i>Chrysopogon fulvus</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Camphortree | <i>Cinnamomum camphora</i> | tree | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Camphortree | <i>Cinnamomum camphora</i> | tree | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Camphortree | <i>Cinnamomum camphora</i> | tree | O,F | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watermelon | <i>Citrullus lanatus</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sour Orange | <i>Citrus aurantium</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sour Orange | <i>Citrus aurantium</i> | tree | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sweet Autumn Virginsbower | <i>Clematis terniflora</i> | vine | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiderwisp | <i>Cleome gynandra</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pinkqueen | <i>Cleome hassleriana</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pinkqueen | <i>Cleome hassleriana</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pinkqueen | <i>Cleome hassleriana</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Garden Spiderflower | <i>Cleome speciosa</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rose Glorybower | <i>Clerodendrum bungei</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rose Glorybower | <i>Clerodendrum bungei</i> | tree | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Turk's Turban | <i>Clerodendrum indicum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Turk's Turban | <i>Clerodendrum indicum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Java Glory Bean | <i>Clerodendrum speciosum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Taro | <i>Colocasia esculenta</i> | forb | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Taro | <i>Colocasia esculenta</i> | forb | O,W | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Taro | <i>Colocasia esculenta</i> | forb | O,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Carolina Dayflower | <i>Commelina caroliniana</i> | forb | | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|------------------------|------------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Carolina Dayflower | <i>Commelina caroliniana</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dayflower | <i>Commelina diffusa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dayflower | <i>Commelina diffusa</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dayflower | <i>Commelina diffusa</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dayflower | <i>Commelina diffusa</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Doubtful Knight's-Spur | <i>Consolida ajacis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asthmaweed | <i>Conyza bonariensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Goldenmane Tickseed | <i>Coreopsis basalis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Goldenmane Tickseed | <i>Coreopsis basalis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lesser Swinecress | <i>Coronopus didymus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lesser Swinecress | <i>Coronopus didymus</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lesser Swinecress | <i>Coronopus didymus</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Garden Cosmon | <i>Cosmos bipinnatus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sulphur Cosmos | <i>Cosmos sulphureus</i> | forb | | | Putnam |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------|--|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Ceylon Swamplily | <i>Crinum zeylanicum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Montbretia | <i>Crocosmia crocosmiiflora</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shakeshake | <i>Crotalaria incana</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sunn Hemp | <i>Crotalaria juncea</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lanceleaf Rattlebox | <i>Crotalaria lanceolata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lanceleaf Rattlebox | <i>Crotalaria lanceolata</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slenderleaf Rattlebox | <i>Crotalaria ochroleuca</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slenderleaf Rattlebox | <i>Crotalaria ochroleuca</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Slenderleaf Rattlebox | <i>Crotalaria ochroleuca</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smooth Rattlebox | <i>Crotalaria pallida var. obovata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smooth Rattlebox | <i>Crotalaria pallida var. obovata</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smooth Rattlebox | <i>Crotalaria pallida var. obovata</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smooth Rattlebox | <i>Crotalaria pallida var. obovata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattleweed | <i>Crotalaria retusa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Showy Rattlebox | <i>Crotalaria spectabilis</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|----------------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Showy Rattlebox | <i>Crotalaria spectabilis</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Showy Rattlebox | <i>Crotalaria spectabilis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Showy Rattlebox | <i>Crotalaria spectabilis</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Showy Rattlebox | <i>Crotalaria spectabilis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Tallow Tree | <i>Croton sebiferus</i> | tree | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cantaloupe | <i>Cucumis melo</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cantaloupe | <i>Cucumis melo</i> | vine | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagenensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagenensis</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagenensis</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagenensis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagenensis</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Colombian Waxweed | <i>Cuphea carthagenensis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marsh Parsley | <i>Cyclospermum leptophyllum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marsh Parsley | <i>Cyclospermum leptophyllum</i> | forb | | | Baker |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------|----------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Marsh Parsley | <i>Cyclospermum leptophyllum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Nutsedge | <i>Cyperus esculentus</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Nutsedge | <i>Cyperus esculentus</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Nutsedge | <i>Cyperus esculentus</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Nutsedge | <i>Cyperus esculentus</i> | grass | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ricefield Flatsedge | <i>Cyperus iria</i> | grass | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ricefield Flatsedge | <i>Cyperus iria</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ricefield Flatsedge | <i>Cyperus iria</i> | grass | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Epiphytic Flatsedge | <i>Cyperus lanceolatus</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Epiphytic Flatsedge | <i>Cyperus lanceolatus</i> | grass | O | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Epiphytic Flatsedge | <i>Cyperus lanceolatus</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Epiphytic Flatsedge | <i>Cyperus lanceolatus</i> | grass | O | | Putnam |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-----------------------------|---------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Netvein Holly forb | <i>Cyrtomium falcatum</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Durban Crowfootgrass | <i>Dactyloctenium aegyptium</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Durban Crowfootgrass | <i>Dactyloctenium aegyptium</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Durban Crowfootgrass | <i>Dactyloctenium aegyptium</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Durban Crowfootgrass | <i>Dactyloctenium aegyptium</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pricklyburr | <i>Datura inoxia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Zarabacoa Comun | <i>Desmodium incanum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Zarabacoa Comun | <i>Desmodium incanum</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Zarabacoa Comun | <i>Desmodium incanum</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Zarabacoa Comun | <i>Desmodium incanum</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Tickfrefoil | <i>Desmodium tortuosum</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Tickfrefoil | <i>Desmodium tortuosum</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Tickfrefoil | <i>Desmodium tortuosum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Tickfrefoil | <i>Desmodium tortuosum</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Tickfrefoil | <i>Desmodium tortuosum</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Threeflower | <i>Desmodium triflorum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Threeflower | <i>Desmodium triflorum</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smallflowered Ponysfoot | <i>Dichondra micrantha</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smallflowered Ponysfoot | <i>Dichondra micrantha</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asia Crabgrass | <i>Digitaria bicornis</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asia Crabgrass | <i>Digitaria bicornis</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pangolagrass | <i>Digitaria pentzii</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Texas Crabgrass | <i>Digitaria texana</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Yam | <i>Dioscorea bulbifera</i> | vine | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Yam | <i>Dioscorea villosa</i> | vine | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-----------------------|-------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Vegetable forb | <i>Diplazium esculentum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Strawberry | <i>Duchesnea indica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Jungle Rice | <i>Echinochloa colona</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Jungle Rice | <i>Echinochloa colona</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Jungle Rice | <i>Echinochloa colona</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian waterweed | <i>Egeria densa</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian waterweed | <i>Egeria densa</i> | forb | A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian waterweed | <i>Egeria densa</i> | forb | A | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Koda | <i>Ehretia acuminata</i> | | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Silverthorn | <i>Elaeagnus pungens</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Gooseneckgrass | <i>Eleusine indica</i> | grass | O | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|--------------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Climbing Ginseng | <i>Eleutherococcus trifoliatus</i> | | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pan-American Balsamscale | <i>Elionurus tripsacoides</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Florida Tasselflower | <i>Emilia fosbergii</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Florida Tasselflower | <i>Emilia fosbergii</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lilac Tasselflower | <i>Emilia sonchifolia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Feather Lovegrass | <i>Eragrostis amabilis</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Feather Lovegrass | <i>Eragrostis amabilis</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Feather Lovegrass | <i>Eragrostis amabilis</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Feather Lovegrass | <i>Eragrostis amabilis</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Thalia Lovegrass | <i>Eragrostis atrovirens</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mediterranean Lovegrass | <i>Eragrostis barrelieri</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fortyflower Lovegrass | <i>Eragrostis cumingii</i> | grass | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|----------------------|---------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Lovegrass | <i>Eragrostis unioloides</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Centipedegrass | <i>Eremochloa ophiurooides</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Centipedegrass | <i>Eremochloa ophiurooides</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Centipedegrass | <i>Eremochloa ophiurooides</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Centipedegrass | <i>Eremochloa ophiurooides</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Loquat | <i>Eriobotrya japonica</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Caribgrass | <i>Eriochloa polystachya</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spindletree | <i>Euonymus bungeanus</i> | vine | F | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curtis' Spurge | <i>Euphorbia curtisii</i> | forb | O | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curtis' Spurge | <i>Euphorbia curtisii</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curtis' Spurge | <i>Euphorbia curtisii</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Snow-on-the-Mountain | <i>Euphorbia marginata</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Weeping Fingergrass | <i>Eustachys distichophylla</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Trampweed | <i>Facelis retusa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Trampweed | <i>Facelis retusa</i> | forb | | | Putnam |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Buckwheat | <i>Fagopyrum esculentum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Crabweed | <i>Fatoua villosa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Grasslike Fimbray | <i>Fimbristylis miliacea</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Grasslike Fimbray | <i>Fimbristylis miliacea</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ditch Fimbray | <i>Fimbristylis schoenoides</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ditch Fimbray | <i>Fimbristylis schoenoides</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ditch Fimbray | <i>Fimbristylis schoenoides</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ditch Fimbray | <i>Fimbristylis schoenoides</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ditch Fimbray | <i>Fimbristylis schoenoides</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fumitory | <i>Fumaria capreolata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Drug Fumitory | <i>Fumaria officinalis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shaggysoldier | <i>Galinsoga quadriradiata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wavyleaf Beeblossom | <i>Gaura sinuata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | African Daisy | <i>Gerbera jamesonii</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Gladiolus | <i>Gladiolus gandavensis</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------------|----------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | South American Mock Verbain | <i>Glandularia pulchella</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | South American Mock Verbain | <i>Glandularia pulchella</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | South American Mock Verbain | <i>Glandularia pulchella</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | South American Mock Verbain | <i>Glandularia pulchella</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flamelily | <i>Gloriosa superba</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Silkoak | <i>Grevillea robusta</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Button Burrweed | <i>Gymnostyles anthemifolia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pitscalegrass | <i>Hackelochloa granularis</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | English Ivy | <i>Hedera helix</i> | vine | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Ginger | <i>Hedychium coronarium</i> | forb | O,F,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Ginger | <i>Hedychium coronarium</i> | forb | O,F,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Sunflower | <i>Helianthus annuus</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Muck Sunflower | <i>Helianthus simulans</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Muck Sunflower | <i>Helianthus simulans</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Clasping Heliotrope | <i>Heliotropium amplexicaule</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|---|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Clasping Heliotrope | <i>Heliotropium amplexicaule</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Clasping Heliotrope | <i>Heliotropium amplexicaule</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Monarch Rosemallow | <i>Hibiscus radiatus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Barley | <i>Hordeum vulgare</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Water-Poppy | <i>Hydrocleys nymphoides</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lawn Marshpennywort | <i>Hydrocotyle sibthorpioides</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Swampweed | <i>Hygrophila polysperma</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Jaragua | <i>Hyparrhenia rufa</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tweed's Catsear | <i>Hypochaeris brasiliensis</i> var. <i>tweedii</i> | | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smooth Catsear | <i>Hypochaeris glabra</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Bushmint | <i>Hyptis mutabilis</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|--------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Bushmint | <i>Hyptis mutabilis</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Bushmint | <i>Hyptis mutabilis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Bushmint | <i>Hyptis mutabilis</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Bushmint | <i>Hyptis mutabilis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Yellow Unicornplant | <i>Ibicella lutea</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Congongrass | <i>Imperata cylindrica</i> | grass | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera hirsuta</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera hirsuta</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera spicata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera spicata</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera spicata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Indigo | <i>Indigofera spicata</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Anil de Pasto | <i>Indigofera suffruticosa</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mile-A-Minute Vine | <i>Ipomoea cairica</i> | vine | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mile-A-Minute Vine | <i>Ipomoea cairica</i> | vine | O | | St. John's |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|------------------------|------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Largeroot Morningglory | <i>Ipomoea macrorhiza</i> | vine | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cypressvine | <i>Ipomoea quamoclit</i> | vine | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cypressvine | <i>Ipomoea quamoclit</i> | vine | O | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cypressvine | <i>Ipomoea quamoclit</i> | vine | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cypressvine | <i>Ipomoea quamoclit</i> | vine | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lilacbell | <i>Ipomoea turbinata</i> | vine | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Star Jasmine | <i>Jasminum multiflorum</i> | vine | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chandelier Plant | <i>Kalanchoe delagoensis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flamegold | <i>Koelreuteria elegans</i> | tree | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Clover | <i>Kummerowia striata</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------|----------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shortleaf Spikesedge | <i>Kyllinga brevifolia</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asian Spikesedge | <i>Kyllinga squamulata</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asian Spikesedge | <i>Kyllinga squamulata</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Asian Spikesedge | <i>Kyllinga squamulata</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bottle Gourd | <i>Lagenaria siceraria</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Henbit deadnettle | <i>Lamium amplexicaule</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Henbit deadnettle | <i>Lamium amplexicaule</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dotted Duckweed | <i>Landoltia punctata</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dotted Duckweed | <i>Landoltia punctata</i> | vine | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dotted Duckweed | <i>Landoltia punctata</i> | vine | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lantana | <i>Lantana camara</i> | forb | O,F | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|--------------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Lantana | <i>Lantana camara</i> | forb | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lantana | <i>Lantana camara</i> | forb | O,F | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lantana | <i>Lantana camara</i> | forb | O,F | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Trailing forbverbena | <i>Lantana montevidensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lion's Ear | <i>Leonotis nepetifolia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Leucaena | <i>Leucaena leucocephala</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Glossy Privet | <i>Ligustrum lucidum</i> | forb | F,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Glossy Privet | <i>Ligustrum lucidum</i> | forb | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | California Privet | <i>Ligustrum ovalifolium</i> | forb | F,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Phillipine Lilly | <i>Lilium philippinense</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Malaysian Fals Pimpernel | <i>Lindernia crustacea</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|--------------------------|------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Malaysian Fals Pimpernel | <i>Lindernia crustacea</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Malaysian Fals Pimpernel | <i>Lindernia crustacea</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Awned Halfchaff Sedge | <i>Lipocarpha aristulata</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Monkey-grass | <i>Liriope spicata</i> | | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Fan Palm | <i>Livistona chinensis</i> | tree | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tall Fescue | <i>Lolium arundinaceum</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Italian Ryegrass | <i>Lolium perenne</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Italian Ryegrass | <i>Lolium perenne</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Italian Ryegrass | <i>Lolium perenne</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lotononis | <i>Lotononis bainesii</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Birdsfoot Trefoil | <i>Lotus uliginosus</i> | forb | O | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Largeflower Primrosewillow | <i>Ludwigia grandiflora</i> | forb | W,A | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Peruvian Primrosewillow | <i>Ludwigia peruviana</i> | forb | W,A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Peruvian Primrosewillow | <i>Ludwigia peruviana</i> | forb | W,A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Peruvian Primrosewillow | <i>Ludwigia peruviana</i> | forb | W,A | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Narrowleaf Lupine | <i>Lupinus angustifolius</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Texas Bluebonnet | <i>Lupinus texensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | vine | F | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | vine | F | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Catclaw vine | <i>Macfadyena unguis-cati</i> | vine | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Bushbean | <i>Macroptilium lathyroides</i> | vine | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mariana Maiden forb | <i>Macrothelypteris torresiana</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mariana Maiden forb | <i>Macrothelypteris torresiana</i> | forb | | | Baker |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|------------------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Mariana Maiden forb | <i>Macrothelypteris torresiana</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mariana Maiden forb | <i>Macrothelypteris torresiana</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cheeseweed Mallow | <i>Malva parviflora</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cheeseweed Mallow | <i>Malva parviflora</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Texas Waxmallow | <i>Malvaviscus arboreus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Texas Waxmallow | <i>Malvaviscus arboreus</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Graham's Cassava | <i>Manihot grahamii</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Mazus | <i>Mazus pumilus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Mazus | <i>Mazus pumilus</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spotted Medick | <i>Medicago arabica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Black Medick | <i>Medicago lupulina</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Black Medick | <i>Medicago lupulina</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Black Medick | <i>Medicago lupulina</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Burclover | <i>Medicago polymorpha</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Burclover | <i>Medicago polymorpha</i> | vine | | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|--------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Burclover | <i>Medicago polymorpha</i> | vine | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Burclover | <i>Medicago polymorpha</i> | vine | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Sweetclover | <i>Melilotus alba</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Sweetclover | <i>Melilotus indicus</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Sweetclover | <i>Melilotus indicus</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Sweetclover | <i>Melilotus indicus</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chocolateweed | <i>Melochia corchorifolia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chocolateweed | <i>Melochia corchorifolia</i> | forb | | | Bradford |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Chocolateweed | <i>Melochia corchorifolia</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chocolateweed | <i>Melochia corchorifolia</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spearmint | <i>Mentha spicata</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Applemint | <i>Mentha suaveolens</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Applemint | <i>Mentha suaveolens</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Noyau Vine | <i>Merremia dissecta</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Noyau Vine | <i>Merremia dissecta</i> | vine | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Noyau Vine | <i>Merremia dissecta</i> | vine | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Noyau Vine | <i>Merremia dissecta</i> | vine | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sensitive Plant | <i>Mimosa pudica</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marvel-of-Peru | <i>Mirabilis jalapa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marvel-of-Peru | <i>Mirabilis jalapa</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Balsampear | <i>Momordica charantia</i> | vine | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lemon Beebalm | <i>Monarda citriodora</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Mulberry | <i>Morus alba</i> | tree | O | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | White Mulberry | <i>Morus alba</i> | tree | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Mulberry | <i>Morus alba</i> | tree | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marsh Dewflower | <i>Murdannia keisak</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marsh Dewflower | <i>Murdannia keisak</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Marsh Dewflower | <i>Murdannia keisak</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Nakedstem Dewflower | <i>Murdannia nudiflora</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Nakedstem Dewflower | <i>Murdannia nudiflora</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Nakedstem Dewflower | <i>Murdannia nudiflora</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Nakedstem Dewflower | <i>Murdannia nudiflora</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Nakedstem Dewflower | <i>Murdannia nudiflora</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sacred Bamboo | <i>Nandina domestica</i> | forb | F,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cream Narcissus | <i>Narcissus tazetta</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tuberous Sword forb | <i>Nephrolepis cordifolia</i> | forb | F,W | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Oleander | <i>Nerium oleander</i> | tree | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Apple-of-Peru | <i>Nicandra physalodes</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cultivated Tobacco | <i>Nicotiana tabacum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Japanese Honeysuckle | <i>Nintooa japonica</i> | vine | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Monk Orchid | <i>Oeceoclades maculata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Beach Eveningprimrose | <i>Oenothera drummondii</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pinkladies | <i>Oenothera speciosa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pinkladies | <i>Oenothera speciosa</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pinkladies | <i>Oenothera speciosa</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flattop Mille Graines | <i>Oldenlandia corymbosa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flattop Mille Graines | <i>Oldenlandia corymbosa</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flattop Mille Graines | <i>Oldenlandia corymbosa</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flattop Mille Graines | <i>Oldenlandia corymbosa</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Flattop Mille Graines | <i>Oldenlandia corymbosa</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Scotch Thistle | <i>Onopordum acanthium</i> | forb | O | | St. John's |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------|--------------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Pink Woodsorrel | <i>Oxalis debilis var. corymbosa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pink Woodsorrel | <i>Oxalis debilis var. corymbosa</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Broadleaf Woodsorrel | <i>Oxalis latifolia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Broadleaf Woodsorrel | <i>Oxalis latifolia</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Windowbox Woodsorrel | <i>Oxalis rubra</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Violet Woodsorrel | <i>Oxalis violacea</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Skunkvine | <i>Paederia foetida</i> | vine | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Skunkvine | <i>Paederia foetida</i> | vine | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Guineagrass | <i>Panicum maximum</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Torpedograss | <i>Panicum repens</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Torpedograss | <i>Panicum repens</i> | grass | O,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Santa Maria Feverfew | <i>Parthenium hysterophorus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Santa Maria Feverfew | <i>Parthenium hysterophorus</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Santa Maria Feverfew | <i>Parthenium hysterophorus</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Egyptian Paspalidium | <i>Paspalidium geminatum</i> | grass | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|------------------|--|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Brook Crowngrass | <i>Paspalum acuminatum</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dallisgrass | <i>Paspalum dilatatum</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dallisgrass | <i>Paspalum dilatatum</i> | grass | O,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bahiagrass | <i>Paspalum notatum</i> var. <i>saurae</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bahiagrass | <i>Paspalum notatum</i> var. <i>saurae</i> | grass | O,W | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bahiagrass | <i>Paspalum notatum</i> var. <i>saurae</i> | grass | O,W | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bahiagrass | <i>Paspalum notatum</i> var. <i>saurae</i> | grass | O,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Vaseygrass | <i>Paspalum urvillei</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Vaseygrass | <i>Paspalum urvillei</i> | grass | O,W | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Vaseygrass | <i>Paspalum urvillei</i> | grass | O,W | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Vaseygrass | <i>Paspalum urvillei</i> | grass | O,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Vaseygrass | <i>Paspalum urvillei</i> | grass | O,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pearl Millet | <i>Pennisetum glaucum</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Elephantgrass | <i>Pennisetum purpureum</i> | grass | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Elephantgrass | <i>Pennisetum purpureum</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Timothy Canarygrass | <i>Phalaris angusta</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Timothy Canarygrass | <i>Phalaris angusta</i> | grass | O,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Timothy Canarygrass | <i>Phalaris angusta</i> | grass | O,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Canarygrass | <i>Phalaris canariensis</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Phlox | <i>Phlox drummondii</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Phlox | <i>Phlox drummondii</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Phlox | <i>Phlox drummondii</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Phlox | <i>Phlox drummondii</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mascarene Island Leafflower | <i>Phyllanthus tenellus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mascarene Island Leafflower | <i>Phyllanthus tenellus</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mascarene Island Leafflower | <i>Phyllanthus tenellus</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chamber Bitter | <i>Phyllanthus urinaria</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chamber Bitter | <i>Phyllanthus urinaria</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chamber Bitter | <i>Phyllanthus urinaria</i> | forb | | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|--------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Obedientplant | <i>Physostegia virginiana</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | English Plantain | <i>Plantago lanceolata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | English Plantain | <i>Plantago lanceolata</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Broadleaf Plantain | <i>Plantago major</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Bluegrass | <i>Poa annua</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Bluegrass | <i>Poa annua</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Bluegrass | <i>Poa annua</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fourleaf Manysteed | <i>Polycarpon tetraphyllum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fourleaf Manysteed | <i>Polycarpon tetraphyllum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Prostrate Knotweed | <i>Polygonum aviculare</i> | forb | O,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Oriental Ladysthumb | <i>Polygonum convolvulus</i> | forb | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Oriental Ladysthumb | <i>Polygonum convolvulus</i> | forb | O,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rabbitsfootgrass | <i>Polypogon monspeliensis</i> | grass | O | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Rabbitsfootgrass | <i>Polypogon monspeliensis</i> | grass | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rabbitsfootgrass | <i>Polypogon monspeliensis</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rabbitsfootgrass | <i>Polypogon monspeliensis</i> | grass | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hardy Orange | <i>Poncirus trifoliata</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hardy Orange | <i>Poncirus trifoliata</i> | tree | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguayan Purslane | <i>Portulaca amilis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Paraguayan Purslane | <i>Portulaca amilis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Purslane | <i>Portulaca oleracea</i> | forb | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Purslane | <i>Portulaca oleracea</i> | forb | O,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Purslane | <i>Portulaca oleracea</i> | forb | O,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Pouzolz's Bush | <i>Pouzolzia zeylanica</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Peach | <i>Prunus persica</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dogstongue | <i>Pseudelephantopus spicatus</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cretan Brake | <i>Pteris cretica</i> | forb | F | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|----------------------------|------------------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Spider Brake | <i>Pteris multifida</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spider Brake | <i>Pteris multifida</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Ladder Brake | <i>Pteris vittata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Ladder Brake | <i>Pteris vittata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Formosa Firethorn | <i>Pyracantha koidzumii</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spinyfruit Buttercup | <i>Ranunculus muricatus</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spinyfruit Buttercup | <i>Ranunculus muricatus</i> | forb | A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spinyfruit Buttercup | <i>Ranunculus muricatus</i> | forb | A | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Prairie Buttercup | <i>Ranunculus platensis</i> | forb | A | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Buttercup | <i>Ranunculus sardous</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Radish | <i>Raphanus raphanistrum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Radish | <i>Raphanus raphanistrum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wild Radish | <i>Raphanus raphanistrum</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Upright Prairie Coneflower | <i>Ratibida columnifera</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Rose Natalgrass | <i>Rhynchospora repens</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Mexican Clover | <i>Richardia brasiliensis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rough Mexican Clover | <i>Richardia scabra</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rough Mexican Clover | <i>Richardia scabra</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Castorbean | <i>Ricinus communis</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bristly Locust | <i>Robinia hispida</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Macarney Rose | <i>Rosa bracteata</i> | vine | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Britton's Wild Petunia | <i>Ruellia tweediana</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Britton's Wild Petunia | <i>Ruellia tweediana</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Dock | <i>Rumex obovatus</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Dock | <i>Rumex obovatus</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Dock | <i>Rumex obovatus</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fiddle Dock | <i>Rumex pulcher</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Leatherleaf forb | <i>Rumohra adiantiformis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Leatherleaf forb | <i>Rumohra adiantiformis</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Cupscale | <i>Sacciolepis indica</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Cupscale | <i>Sacciolepis indica</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Indian Cupscale | <i>Sacciolepis indica</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lily-of-the-Valley Vine | <i>Salpichroa organifolia</i> | vine | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Prickly Russina Thistle | <i>Salsola kali subsp. pontica</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Prickly Russina Thistle | <i>Salsola kali subsp. pontica</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Mealycup Sage | <i>Salvia farinacea</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spanish Sage | <i>Salvia hispanica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Water Spangles | <i>Salvinia minima</i> | forb | A | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Water Spangles | <i>Salvinia minima</i> | forb | A | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Water Spangles | <i>Salvinia minima</i> | forb | A | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Browstring Hemp | <i>Sansevieria hyacinthoides</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Tallow Tree | <i>Sapium sebiferum</i> | tree | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Tallow Tree | <i>Sapium sebiferum</i> | tree | O,F | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Tallow Tree | <i>Sapium sebiferum</i> | tree | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shepherdsneedle | <i>Scandix pecten-veneris</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian Pepper | <i>Schinus terebinthifolius</i> | tree | O,F | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cuban Bulrush | <i>Scirpus cubensis</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | South American Skullcap | <i>Scutellaria racemosa</i> | forb | | | Baker |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|--------------------|---------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Cultivated Rye | <i>Secale cereale</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coffeeweed | <i>Senna obtusifolia</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coffeeweed | <i>Senna obtusifolia</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coffeeweed | <i>Senna obtusifolia</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Coffeeweed | <i>Senna obtusifolia</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Septicweed | <i>Senna occidentalis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Septicweed | <i>Senna occidentalis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sesame | <i>Sesamum orientale</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-----------------------|-------------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Boxorange | <i>Severinia buxifolia</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Catchfly | <i>Silene gallica</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Charlock | <i>Sinapis arvensis</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hedgemustard | <i>Sisymbrium officinale</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Blueeyed Grass | <i>Sisyrinchium rosulatum</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Blueeyed Grass | <i>Sisyrinchium rosulatum</i> | forb | O | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Blueeyed Grass | <i>Sisyrinchium rosulatum</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Blueeyed Grass | <i>Sisyrinchium rosulatum</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Blueeyed Grass | <i>Sisyrinchium rosulatum</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Annual Blueeyed Grass | <i>Sisyrinchium rosulatum</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Watermelon Nightshade | <i>Solanum citrullifolium</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Twoleaf Nightshade | <i>Solanum diphylum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Silverleaf Nightshade | <i>Solanum elaeagnifolium</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Garden Tomato | <i>Solanum lycopersicum</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|---------------------|--------------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Jerusalem Cherry | <i>Solanum pseudocapsicum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sticky Nightshade | <i>Solanum sisymbriifolium</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sticky Nightshade | <i>Solanum sisymbriifolium</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sticky Nightshade | <i>Solanum sisymbriifolium</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Irish Potato | <i>Solanum tuberosum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Field Burrweed | <i>Soliva sessilis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Field Burrweed | <i>Soliva sessilis</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Sowthistle | <i>Sonchus asper</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Sowthistle | <i>Sonchus asper</i> | forb | O | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Sowthistle | <i>Sonchus asper</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Sowthistle | <i>Sonchus asper</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Spiny Sowthistle | <i>Sonchus asper</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Sowthistle | <i>Sonchus oleraceus</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Sowthistle | <i>Sonchus oleraceus</i> | forb | O | | Baker |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Sowthistle | <i>Sonchus oleraceus</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Sowthistle | <i>Sonchus oleraceus</i> | forb | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Sowthistle | <i>Sonchus oleraceus</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Shattercane | <i>Sorghum bicolor</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Grain Sorghum | <i>Sorghum drummondii</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Corn Spurry | <i>Spergula arvensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Corn Spurry | <i>Spergula arvensis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | forbby False Buttonweed | <i>Spermacoce verticillata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | forbby False Buttonweed | <i>Spermacoce verticillata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | forbby False Buttonweed | <i>Spermacoce verticillata</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chickenspike | <i>Sphenoclea zeylanica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smutgrass | <i>Sporobolus indicus</i> | grass | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smutgrass | <i>Sporobolus indicus</i> | grass | O | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|--------------------|-------------------------------|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Smutgrass | <i>Sporobolus indicus</i> | grass | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Smutgrass | <i>Sporobolus indicus</i> | grass | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | American Evergreen | <i>Syngonium podophyllum</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Jewels-of-Opar | <i>Talinum paniculatum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Ricepaper Plant | <i>Tetrapanax papyriferus</i> | tree | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Downy Maiden forb | <i>Thelypteris dentata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Downy Maiden forb | <i>Thelypteris dentata</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Downy Maiden forb | <i>Thelypteris dentata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bluewings | <i>Torenia fournieri</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Small-Leaf Spiderwort | <i>Tradescantia fluminensis</i> | forb | F,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Punturevine | <i>Tribulus terrestris</i> | vine | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rabbitfoot Clover | <i>Trifolium arvense</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Field Clover | <i>Trifolium campestre</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Field Clover | <i>Trifolium campestre</i> | forb | O | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Crimson Clover | <i>Trifolium incarnatum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Crimson Clover | <i>Trifolium incarnatum</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Red Clover | <i>Trifolium pratense</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | White Clover | <i>Trifolium repens</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Reversed Clover | <i>Trifolium resupinatum</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Wheat | <i>Triticum aestivum</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Wheat | <i>Triticum aestivum</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fivestamen Burrbark | <i>Triumfetta pentandra</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Fivestamen Burrbark | <i>Triumfetta pentandra</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Caesarweed | <i>Urena lobata</i> | forb | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|---------------------|----------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Caesarweed | <i>Urena lobata</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wattle Signal Grass | <i>Urochloa piligera</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Signalgrass | <i>Urochloa ramosa</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Signalgrass | <i>Urochloa ramosa</i> | grass | O,W | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Dixie Signalgrass | <i>Urochloa ramosa</i> | grass | O,W | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Texas Signalgrass | <i>Urochloa texana</i> | grass | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Stinging Nettle | <i>Urtica dioica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wand Mullein | <i>Verbascum virgatum</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wand Mullein | <i>Verbascum virgatum</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Wand Mullein | <i>Verbascum virgatum</i> | forb | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | St. John's |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|-------------------|-----------------------------|------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian Vervain | <i>Verbena brasiliensis</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian Vervain | <i>Verbena brasiliensis</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian Vervain | <i>Verbena brasiliensis</i> | forb | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian Vervain | <i>Verbena brasiliensis</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Brazilian Vervain | <i>Verbena brasiliensis</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Tuberous Vervain | <i>Verbena rigida</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Corn Speedwell | <i>Veronica arvensis</i> | forb | O,W | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sparrow Vetch | <i>Vicia hirsuta</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Vetch | <i>Vicia sativa</i> | vine | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Vetch | <i>Vicia sativa</i> | vine | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Common Vetch | <i>Vicia sativa</i> | vine | O | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lentil Vetch | <i>Vicia tetrasperma</i> | vine | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Vetch | <i>Vicia villosa</i> | vine | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Hairy Vetch | <i>Vicia villosa</i> | vine | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Lillac Chastetree | <i>Vitex agnus-castus</i> | tree | | | Alachua |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------|-------|-------------------------|----------------------------|---|-------|---------|--------|---------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Sixweeks Fescue | <i>Vulpia octoflora</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sixweeks Fescue | <i>Vulpia octoflora</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Sixweeks Fescue | <i>Vulpia octoflora</i> | grass | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Southern Rockbell | <i>Wahlenbergia marginata</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Southern Rockbell | <i>Wahlenbergia marginata</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Southern Rockbell | <i>Wahlenbergia marginata</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Southern Rockbell | <i>Wahlenbergia marginata</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Chinese Wisteria | <i>Wisteria sinensis</i> | vine | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Cocklebur | <i>Xanthium strumarium</i> | forb | O | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Canada Cockleburr | <i>Xanthium strumarium</i> var. <i>canadense</i> | forb | O | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | | Bradford |
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | | Duval |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | | Putnam |
| Camp Blanding | FL | Red-cockaded Woodpecker | Richard's Yelloweyed Grass | <i>Xyris jupicai</i> | grass | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Oriental False Hawksbeard | <i>Youngia japonica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Oriental False Hawksbeard | <i>Youngia japonica</i> | forb | | | Baker |
| Camp Blanding | FL | Red-cockaded Woodpecker | Oriental False Hawksbeard | <i>Youngia japonica</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Rosepink Zephyrlily | <i>Zephyranthes grandiflora</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Soldier's Orchid | <i>Zeuxine strateumatica</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Soldier's Orchid | <i>Zeuxine strateumatica</i> | forb | | | Duval |
| Camp Blanding | FL | Red-cockaded Woodpecker | Soldier's Orchid | <i>Zeuxine strateumatica</i> | forb | | | St. John's |
| Camp Blanding | FL | Red-cockaded Woodpecker | Bitter Ginger | <i>Zingiber zerumbet</i> | forb | | | Alachua |
| Camp Blanding | FL | Red-cockaded Woodpecker | Puruvian Zinnia | <i>Zinnia peruviana</i> | forb | | | Duval |
| Ft. Benning | GA | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Muscogee | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Muscogee | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | Muscogee | |
| Ft. Benning | GA | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | Muscogee | Harris |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Benning | GA | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | chinaberry tree | <i>Melia azedarach</i> | tree | O | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Harris |
| Ft. Benning | GA | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Harris |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | Hoke | Cumberland |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | Hoke | Richland |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | Hoke | Scotland |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | Scotland | Robeson |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Timothy | <i>Phleum pratense</i> | grass | | Scotland | Richmond |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Moore |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Bragg | NC | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Richland |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Moore |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Timothy | <i>Phleum pratense</i> | grass | | | Cumberland |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Timothy | <i>Phleum pratense</i> | grass | | | Robeson |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Asiatic Witchweed | <i>Striga asiatica</i> | forb | | | Cumberland |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Asiatic Witchweed | <i>Striga asiatica</i> | forb | | | Robeson |
| Ft. Bragg | NC | Red Cockaded Woodpecker | Periwinkle | <i>Vinca minor</i> | vine | O | | Robeson |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | Bullitt | Nelson |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Christian | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Christian | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | Christian | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Christian | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Willowleaf lettuce | <i>Lactuca saligna</i> | forb | O,W | Christian | |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Christian | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Christian | Marshall |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Christian | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Christian | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | Hardin | Jefferson |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | Meade | Spencer |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Montgomery | |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Stewart | |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Jointed grass | <i>Arthraxon hispidus</i> | grass | | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Musk Thistle | <i>Carduus nutans</i> | forb | O | Trigg | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Trigg | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Trigg | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Indian Gooseneck Grass | <i>Eleusine indica</i> | grass | O | Trigg | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis cilianensis</i> | grass | | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | Trigg | Calloway |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Trigg | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Velve-grass | <i>Holcus lanatus</i> | grass | O | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Trigg | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Trigg | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Trigg | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Trigg | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Stiltgrass | <i>Microstegium vimineum</i> | grass | O,F | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sleepydicke | <i>Ornithogalum umbellatum</i> | forb | O,F | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Speargrass | <i>Poa annua</i> | grass | | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | Trigg | Calloway |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | Trigg | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | Trigg | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Lesser Burdock | <i>Arctium minus</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Barberry | <i>Berberis thunbergii</i> | forb | F | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Lyon |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Piedmont bedstraw | <i>Cruciata pedemontana</i> | forb | | | Jefferson |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Piedmont bedstraw | <i>Cruciata pedemontana</i> | forb | | | Spencer |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Muhlenburg |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | | Calloway |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Breckenridge |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Coldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis cilianensis</i> | grass | | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Winged Burning Bush | <i>Euonymus alata</i> | forb | F | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Marshall |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Muhlenberg |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Velve-grass | <i>Holcus lanatus</i> | grass | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Velve-grass | <i>Holcus lanatus</i> | grass | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Purple Morningglory | <i>Ipomoea purpurea</i> | vine | O | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Purple Morningglory | <i>Ipomoea purpurea</i> | vine | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | Breckenridge |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Thunbergii's Lespedeza | <i>Lespedeza thunbergii</i> | forb | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | Calloway |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Muhlenberg |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Bush Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Morrow's Honeysuckle | <i>Lonicera morowii</i> | forb | O,F | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Muhlenberg |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Stiltgrass | <i>Microstegium vimineum</i> | grass | O,F | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Stiltgrass | <i>Microstegium vimineum</i> | grass | O,F | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Chinese silvergrass | <i>Miscanthus sinensis</i> | grass | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Catnip | <i>Nepeta cataria</i> | forb | | | Calloway |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Catnip | <i>Nepeta cataria</i> | forb | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Speargrass | <i>Poa annua</i> | grass | | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Calloway |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Calloway |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Marshall |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Todd |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Caldwell |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Hopkins |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Muhlenberg |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | | Lyon |
| Ft. Campbell | KY | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | | Marshall |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | Montgomery | Henry |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Lesser Burdock | <i>Arctium minus</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Mugwort | <i>Artemisia vulgaris</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Jointed grass | <i>Arthraxon hispidus</i> | grass | | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Giant Reed | <i>Arundo donax</i> | grass | W | Montgomery | Robertson |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbara vulgaris</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | Montgomery | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | Montgomery | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | Montgomery | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Paper Mulberry | <i>Broussonetia papyrifera</i> | tree | | Montgomery | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Balloonvine | <i>Cardiospermum halicacabum</i> | vine | | Montgomery | Houston |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Musk Thistle | <i>Carduus nutans</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Garden Cornflower | <i>Centaurea cyanus</i> | forb | | Montgomery | Robertson |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chicory | <i>Cichorium intybus</i> | forb | | Montgomery | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Bull Thistle | <i>Cirsium arvense</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Leatherleaf Clematis | <i>Clematis terniflora</i> | vine | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Montgomery | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Indian Strawberry | <i>Duchesnea indica</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis ciliaris</i> | grass | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | English Ivy | <i>Hedera helix</i> | vine | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Dames Rocket | <i>Hesperis matronalis</i> | forb | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Purple Morningglory | <i>Ipomoea purpurea</i> | vine | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | Montgomery | Cheatham |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Willowleaf lettuce | <i>Lactuca saligna</i> | forb | O,W | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Henbit deadnettle | <i>Lamium amplexicaule</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | Montgomery | Henry |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Bush Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | White Sweetclover | <i>Melilotus alba</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Peppermint | <i>Mentha x piperita</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Stiltgrass | <i>Microstegium vimineum</i> | grass | O,F | Montgomery | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Chinese silvergrass | <i>Miscanthus sinensis</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese silvergrass | <i>Miscanthus sinensis</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Catnip | <i>Nepeta cataria</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Speargrass | <i>Poa annua</i> | grass | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Montgomery | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | Montgomery | Cheatham |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | St. Anthony's Turnip | <i>Ranunculus bulbosus</i> | forb | A | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | Montgomery | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Foxtail Bristlegrass | <i>Setaria italica</i> | grass | | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Montgomery | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | Montgomery | Robertson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Salsify | <i>Tragopogon dubius</i> | forb | O | Montgomery | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Stinging Nettle | <i>Urtica dioica</i> | forb | | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | Montgomery | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Garden Vetch | <i>Vicia sativa</i> | forb | O | Montgomery | Cheatham |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | Montgomery | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | Montgomery | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spiny Cocklebur | <i>Xanthium spinosum</i> | forb | | Montgomery | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cocklebur | <i>Xanthium strumarium</i> | forb | O | Montgomery | Robertson |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | Stewart | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | Stewart | Henry |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Lesser Burdock | <i>Arctium minus</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Mugwort | <i>Artemisia vulgaris</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Jointed grass | <i>Arthraxon hispidus</i> | grass | | Stewart | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Giant Reed | <i>Arundo donax</i> | grass | W | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Barberry | <i>Berberis thunbergii</i> | forb | F | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | Stewart | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | Stewart | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | Stewart | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Paper Mulberry | <i>Broussonetia papyrifera</i> | tree | | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Balloonvine | <i>Cardiospermum halicacabum</i> | vine | | Stewart | Henry |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Musk Thistle | <i>Carduus nutans</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Garden Cornflower | <i>Centaurea cyanus</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chicory | <i>Cichorium intybus</i> | forb | | Stewart | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Bull Thistle | <i>Cirsium arvense</i> | forb | O | Stewart | Robertson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Indian Goosedgrass | <i>Eleusine indica</i> | grass | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis cilianensis</i> | grass | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | English Ivy | <i>Hedera helix</i> | vine | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Velve-grass | <i>Holcus lanatus</i> | grass | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Stewart | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | Stewart | Dickson |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Willowleaf lettuce | <i>Lactuca saligna</i> | forb | O,W | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Henbit deadnettle | <i>Lamium amplexicaule</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | Stewart | Cheatham |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | White Sweetclover | <i>Melilotus alba</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Stewart | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Peppermint | <i>Mentha x piperita</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Stiltgrass | <i>Microstegium vimineum</i> | grass | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Speargrass | <i>Poa annua</i> | grass | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Stewart | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wine Raspberry | <i>Rubus phoenicolasius</i> | forb | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | Stewart | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Foxtail Bristlegrass | <i>Setaria italica</i> | grass | | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Stewart | |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Stewart | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | Stewart | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Salsify | <i>Tragopogon dubius</i> | forb | O | Stewart | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | Stewart | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Garden Vetch | <i>Vicia sativa</i> | forb | O | Stewart | Dickson |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | Stewart | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spiny Cockleburr | <i>Xanthium spinosum</i> | forb | | Stewart | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cocklebur | <i>Xanthium strumarium</i> | forb | O | Stewart | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Jointed Grass | <i>Arthraxon hispidus</i> | grass | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Jointed Grass | <i>Arthraxon hispidus</i> | grass | | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Barberry | <i>Berberis thunbergii</i> | forb | F | | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Henry |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Rye Brome | <i>Bromus secalinus</i> | grass | O | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Rye Brome | <i>Bromus secalinus</i> | grass | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Rye Brome | <i>Bromus secalinus</i> | grass | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Musk Thistle | <i>Carduus nutans</i> | forb | O | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Musk Thistle | <i>Carduus nutans</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Dickson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Brazilian Waterweed | <i>Egeria densa</i> | forb | A | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Robertson |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Calloway |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Christian |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Dickson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Paleyellow Iris | <i>Iris pseudacorus</i> | forb | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Paleyellow Iris | <i>Iris pseudacorus</i> | forb | | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Bicolor Lespedeza | <i>Lespedeza bicolor</i> | forb | O,F | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Cheatham |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | White Sweetclover | <i>Melilotus alba</i> | forb | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Water Milfoil | <i>Myriophyllum aquaticum</i> | forb | A | | Montgomery |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | European waterfoil, | <i>Myriophyllum spicatum</i> | forb | A | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Houston |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-----------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | | Robertson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Kudzu | <i>Pueraria montana var. lobata</i> | vine | O,F | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Henry |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|------------------------|----------------------------|-------------|----------------|---------------|----------------------|
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Houston |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Japanese Spiraea | <i>Spiraea japonica</i> | forb | O | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | | Dickson |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Yellow Salsify | <i>Tragopogon dubius</i> | forb | O | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Benton |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | | Henry |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Spiny Cockleburr | <i>Xanthium spinosum</i> | forb | | | Cheatham |
| Ft. Campbell | TN | Grey Bat & Indiana Bat | Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Dickson |
| Ft. Gordon | GA | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Richmond | |
| Ft. Gordon | GA | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Richmond | |
| Ft. Gordon | GA | Red-cockaded Woodpecker | Japanese Climbing Fern | <i>Lygodium japonicum</i> | forb | F | Richmond | |
| Ft. Gordon | GA | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | Richmond | McDuffie |
| Ft. Gordon | GA | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | Richmond | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Gordon | GA | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Columbia |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Giant Reed | <i>Arundo donax</i> | grass | W | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Nodding Thistle | <i>Carduus nutans</i> | forb | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Aiken |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|----------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Gordon | SC | Red-cockaded Woodpecker | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Watermilfoil | <i>Myriophyllum aquaticum</i> | forb | A | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Watermilfoil | <i>Myriophyllum aquaticum</i> | forb | A | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Edgefield |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Aiken |
| Ft. Gordon | SC | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Edgefield |
| Ft. Irwin | CA | Desert Tortoise | Russian Knapweed | <i>Acroptilon repens</i> | forb | O | San Bernadino | Orange |
| Ft. Irwin | CA | Desert Tortoise | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | San Bernadino | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Camelthorn | <i>Alhagi pseudalhagi</i> | forb | O | San Bernadino | Orange |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-----------------|--------------------------------|---|-------------|----------------|---------------|----------------------|
| Ft. Irwin | CA | Desert Tortoise | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | San Bernadino | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Giant Reed | <i>Arundo donax</i> | grass | W | San Bernadino | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Slender Wild Oat | <i>Avena barbata</i> | grass | O | San Bernadino | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Wild Oat | <i>Avena fatua</i> | grass | O | San Bernadino | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Bassia | <i>Bassia hyssopifolia</i> | forb | O | San Bernadino | Orange |
| Ft. Irwin | CA | Desert Tortoise | Moroccan Mustard | <i>Brassica tournefortii</i> | forb | O | San Bernadino | Kern |
| Ft. Irwin | CA | Desert Tortoise | Red Brome | <i>Bromus madritensis</i> | grass | O | San Bernadino | Las Angeles |
| Ft. Irwin | CA | Desert Tortoise | Italian Thistle | <i>Carduus pycnocephalus</i> | forb | O | San Bernadino | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Spotted Knapweed | <i>Centaurea maculosa</i> | forb | O | San Bernadino | |
| Ft. Irwin | CA | Desert Tortoise | Artichoke Thistle | <i>Cynara cardunculus</i> | forb | O | San Bernadino | Orange |
| Ft. Irwin | CA | Desert Tortoise | Flixweed, Tansy Mustard | <i>Descurainia sophia</i> | forb | O | San Bernadino | Las Angeles |
| Ft. Irwin | CA | Desert Tortoise | Russian Olive | <i>Elaeagnus angustifolia</i> | forb | O | San Bernadino | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Wild Fennel | <i>Foeniculum fulgare</i> | forb | O | San Bernadino | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Scented Gaura | <i>Gaura drummondii</i> | forb | O | San Bernadino | |
| Ft. Irwin | CA | Desert Tortoise | Halogeton | <i>Halogeton glomeratus</i> | forb | O | San Bernadino | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Short Pod Mustard | <i>Herschfeldia incana</i> | forb | O | San Bernadino | Orange |
| Ft. Irwin | CA | Desert Tortoise | Klamathweed | <i>Hypericum perforatum</i> | forb | O | San Bernadino | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Perennial Pepperweed | <i>Lepidium latifolium</i> | forb | O,W | San Bernadino | |
| Ft. Irwin | CA | Desert Tortoise | Dalmation Toadflax | <i>Linaria genistifolia</i> ssp. <i>dalmatica</i> | forb | O,F | San Bernadino | |
| Ft. Irwin | CA | Desert Tortoise | African Rue | <i>Peganum harmala</i> | forb | O | San Bernadino | |
| Ft. Irwin | CA | Desert Tortoise | Curlyleaf Pondweed | <i>Potamogeten crispus</i> | forb | A | San Bernadino | Orange |
| Ft. Irwin | CA | Desert Tortoise | Russian Thistle, Tumbleweed | <i>Salsola tragus</i> | forb | O | San Bernadino | Orange |
| Ft. Irwin | CA | Desert Tortoise | Blessed Milkthistle | <i>Silybum marianum</i> | forb | O | San Bernadino | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | San Bernadino | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Tamarisk | <i>Tamarix spp.</i> | forb | O,W | San Bernadino | |
| Ft. Irwin | CA | Desert Tortoise | Russian Knapweed | <i>Acroptilon repens</i> | forb | O | | Kern |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-----------------|-------------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Ft. Irwin | CA | Desert Tortoise | Russian Knapweed | <i>Acroptilon repens</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Camelthorn | <i>Alhagi pseudalhagi</i> | forb | O | | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Camelthorn | <i>Alhagi pseudalhagi</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Camelthorn | <i>Alhagi pseudalhagi</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Giant Reed | <i>Arundo donax</i> | grass | W | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Giant Reed | <i>Arundo donax</i> | grass | W | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Giant Reed | <i>Arundo donax</i> | grass | W | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Australian Saltbrush | <i>Atriplex semibaccata</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Australian Saltbrush | <i>Atriplex semibaccata</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Australian Saltbrush | <i>Atriplex semibaccata</i> | forb | O | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Slender Wild Oat | <i>Avena barbata</i> | grass | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Slender Wild Oat | <i>Avena barbata</i> | grass | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Slender Wild Oat | <i>Avena barbata</i> | grass | O | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Wild Oat | <i>Avena fatua</i> | grass | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Wild Oat | <i>Avena fatua</i> | grass | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Wild Oat | <i>Avena fatua</i> | grass | O | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Bassia | <i>Bassia hyssopifolia</i> | forb | O | | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Bassia | <i>Bassia hyssopifolia</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Bassia | <i>Bassia hyssopifolia</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Red Brome | <i>Bromus madritensis</i> | grass | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Artichoke Thistle | <i>Cynara cardunculus</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Artichoke Thistle | <i>Cynara cardunculus</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Artichoke Thistle | <i>Cynara cardunculus</i> | forb | O | | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Flixweed, Tansy Mustard | <i>Descurainia sophia</i> | forb | O | | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Flixweed, Tansy Mustard | <i>Descurainia sophia</i> | forb | O | | Kern |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|------------------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Irwin | CA | Desert Tortoise | Wild Fennel | <i>Foeniculum fulgare</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Wild Fennel | <i>Foeniculum fulgare</i> | forb | O | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Wild Fennel | <i>Foeniculum fulgare</i> | forb | O | | Riverside |
| Ft. Irwin | CA | Desert Tortoise | Short Pod Mustard | <i>Herschfeldia incana</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Short Pod Mustard | <i>Herschfeldia incana</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Klamathweed | <i>Hypericum perforatum</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Curlyleaf Pondweed | <i>Potamogeten crispus</i> | forb | A | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Curlyleaf Pondweed | <i>Potamogeten crispus</i> | forb | A | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Russian Thistle, Tumble-weed | <i>Salsola tragus</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Blessed Milkthistle | <i>Silybum marianum</i> | forb | O | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Blessed Milkthistle | <i>Silybum marianum</i> | forb | O | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Blessed Milkthistle | <i>Silybum marianum</i> | forb | O | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | Orange |
| Ft. Irwin | CA | Desert Tortoise | Tamarisk | <i>Tamarix spp.</i> | forb | O,W | | Inyo |
| Ft. Irwin | CA | Desert Tortoise | Tamarisk | <i>Tamarix spp.</i> | forb | O,W | | Kern |
| Ft. Irwin | CA | Desert Tortoise | Tamarisk | <i>Tamarix spp.</i> | forb | O,W | | Los Angeles |
| Ft. Irwin | CA | Desert Tortoise | Tamarisk | <i>Tamarix spp.</i> | forb | O,W | | Orange |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | Richland | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Richland | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | Richland | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | Richland | Kershaw |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|----------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Benghal dayflower | <i>Commelina benghalensis</i> | forb | | Richland | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | Richland | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Richland | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | Richland | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Richland | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | Richland | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | Richland | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese silvergrass | <i>Miscanthus sinensis</i> | grass | O | Richland | |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Princesstree | <i>Paulownia tomentosa</i> | tree | O | Richland | |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | Richland | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Richland | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | Richland | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | Richland | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | | Lexington |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|-------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Giant Reed | <i>Arundo donax</i> | grass | W | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Giant Reed | <i>Arundo donax</i> | grass | W | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Giant Reed | <i>Arundo donax</i> | grass | W | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Benghal dayflower | <i>Commelina benghalensis</i> | forb | | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Benghal dayflower | <i>Commelina benghalensis</i> | forb | | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Benghal dayflower | <i>Commelina benghalensis</i> | forb | | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Fairfield |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|--------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Wild Carrot | <i>Daucus carota</i> | forb | O | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Newberry |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|------------------------|---------------------------|-------------|----------------|---------------|----------------------|
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | forb by Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | forb by Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Calhoun |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|-------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | Sumter |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Golden Bamboo | <i>Phyllostachys aurea</i> | grass | O | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Calhoun |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Calhoun |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|-------------------------|---------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Kershaw |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Lexington |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Newberry |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | | Fairfield |
| Ft. Jackson & Leesburg TS | SC | Red-cockaded Woodpecker | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | | Lexington |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Lesser Burdock | <i>Arctium minus</i> | forb | O | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Musk Thistle | <i>Carduus nutans</i> | forb | O | Bullitt | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | Bullitt | Jefferson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Bullitt | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Indian Strawberry | <i>Duchesnea indica</i> | forb | | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis cilianensis</i> | grass | | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Bullitt | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Velve-grass | <i>Holcus lanatus</i> | grass | O | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | Bullitt | Jefferson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|----------------------|--------------------------------|-------|---------|---------|---------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Purple Morningglory | <i>Ipomoea purpurea</i> | vine | O | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Willowleaf lettuce | <i>Lactuca saligna</i> | forb | O,W | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Henbit deadnettle | <i>Lamium amplexicaule</i> | forb | O | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Bullitt | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Bush Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Bullitt | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Peppermint | <i>Mentha x piperita</i> | forb | | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | Bullitt | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Bullitt | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Speargrass | <i>Poa annua</i> | grass | | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | Bullitt | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | Bullitt | Jefferson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Bullitt | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Bullitt | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Bullitt | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Bullitt | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Hardin | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Hardin | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Crownvetch | <i>Coronilla varia</i> | forb | O | Hardin | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Indian Gooseneckgrass | <i>Eleusine indica</i> | grass | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis cilianensis</i> | grass | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ivyleaf Morningglory | <i>Ipomoea hederacea</i> | vine | O | Hardin | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | Hardin | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Henbit deadnettle | <i>Lamium amplexicaule</i> | forb | O | Hardin | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | Hardin | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Stiltgrass | <i>Microstegium vimineum</i> | grass | O,F | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | Hardin | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Speargrass | <i>Poa annua</i> | grass | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Hardin | Spencer |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | Hardin | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Hardin | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | Meade | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Thymeleaf Sandwort | <i>Arenaria serpyllifolia</i> | forb | O | Meade | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Meade | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | Meade | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | Meade | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Meade | Nelson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Indian Strawberry | <i>Duchesnea indica</i> | forb | | Meade | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stinkgrass | <i>Eragrostis ciliaris</i> | grass | | Meade | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | Meade | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Meade | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Meade | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | Meade | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Meade | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Meade | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Meade | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Meade | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | Meade | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | Meade | Jefferson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | O | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | Meade | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | Meade | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | Meade | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Meade | |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Meade | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Meade | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Meade | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chocolate Vine | <i>Akebia quinata</i> | vine | | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Grayson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Lambsquaters | <i>Chenopodium album</i> | forb | O | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Lambsquaters | <i>Chenopodium album</i> | forb | O | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Oxeye daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Piedmont bedstraw | <i>Cruciata pedemontana</i> | forb | | | Calloway |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Nelson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Winged Burning Bush | <i>Euonymus alata</i> | forb | F | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Stickywilly | <i>Galium aparine</i> | forb | | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | English Ivy | <i>Hedera helix</i> | vine | O,F | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Orange Daylilly | <i>Hemerocallis fulva</i> | forb | | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Grayson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Grayson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Peppermint | <i>Mentha x piperita</i> | forb | | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Peppermint | <i>Mentha x piperita</i> | forb | | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Chinese silvergrass | <i>Miscanthus sinensis</i> | grass | O | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Catnip | <i>Nepeta cataria</i> | forb | | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Catnip | <i>Nepeta cataria</i> | forb | | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Catnip | <i>Nepeta cataria</i> | forb | | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Spencer |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Breckenridge |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | Breckenridge |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | Hart |
| Ft. Knox | KY | Gray Bat & Indiana Bat | St. Anthony's Turnip | <i>Ranunculus bulbosus</i> | forb | A | | Nelson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Japanese Spiraea | <i>Spiraea japonica</i> | forb | O | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | | Jefferson |
| Ft. Knox | KY | Gray Bat & Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | O | | Nelson |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Laclede | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | Laclede | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Downy Brome | <i>Bromus tectorum</i> | grass | O | Laclede | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | Laclede | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Lambsquaters | <i>Chenopodium album</i> | forb | O | Laclede | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | Laclede | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | Laclede | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Orchardgrass | <i>Dactylis glomerata</i> | grass | | Laclede | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Laclede | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | Laclede | Shannon |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | Laclede | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Meadow Fescue | <i>Festuca pratensis</i> | grass | O | Laclede | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | Laclede | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Laclede | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | Laclede | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | Laclede | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | Laclede | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | Laclede | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Laclede | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | Laclede | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | Laclede | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Canarygrass | <i>Phalaris canariensis</i> | grass | O,W | Laclede | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Laclede | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | Laclede | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | Laclede | Phelps |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | Laclede | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | Laclede | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Laclede | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Perfumed Cherry | <i>Prunus mahaleb</i> | tree | | Laclede | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bitter Dock | <i>Rumex obtusifolius</i> | forb | O,W | Laclede | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | Laclede | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Johnson grass | <i>Sorghum halepense</i> | grass | O | Laclede | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Laclede | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Yellow Goats-beard | <i>Tragopogon dubius</i> | forb | O | Laclede | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Puncturevine | <i>Tribulus terrestris</i> | vine | O | Laclede | Howell |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | Laclede | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Pulaski | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | Pulaski | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Pulaski | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | Pulaski | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | Pulaski | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | Pulaski | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Pulaski | Wright |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | Pulaski | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Pulaski | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | Pulaski | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | Pulaski | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Black locust | <i>Robinia pseudoacacia</i> | tree | O | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | Pulaski | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Pulaski | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | Pulaski | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Texas | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | Texas | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | Texas | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Texas | Dent |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | Texas | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | Texas | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bedstraw | <i>Galium pedemontanum</i> | forb | | Texas | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | Texas | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | Texas | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Texas | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | Texas | |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | Texas | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | Texas | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Texas | Phelps |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Texas | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Perfumed Cherry | <i>Prunus mahaleb</i> | tree | | Texas | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Texas | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | Texas | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | Texas | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Johnson grass | <i>Sorghum halepense</i> | grass | O | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Yellow Goats-beard | <i>Tragopogon dubius</i> | forb | O | Texas | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | Texas | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Periwinkle | <i>Vinca minor</i> | vine | O | Texas | Howell |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|---------------------|-----------------------------|------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Scarlet Pimpernel | <i>Anagallis arvensis</i> | forb | | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Scarlet Pimpernel | <i>Anagallis arvensis</i> | forb | | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Scarlet Pimpernel | <i>Anagallis arvensis</i> | forb | | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Scarlet Pimpernel | <i>Anagallis arvensis</i> | forb | | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Blackberry Lily | <i>Belamcanda chinensis</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Blackberry Lily | <i>Belamcanda chinensis</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Blackberry Lily | <i>Belamcanda chinensis</i> | forb | | | Phelps |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Blackberry Lily | <i>Belamcanda chinensis</i> | forb | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bromegrass | <i>Bromus sterilis</i> | grass | O,F | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bromegrass | <i>Bromus sterilis</i> | grass | O,F | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Downy Brome | <i>Bromus tectorum</i> | grass | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Downy Brome | <i>Bromus tectorum</i> | grass | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Orchardgrass | <i>Dactylis glomerata</i> | grass | | | Howell |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|----------------------|----------------------------|-------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Orchardgrass | <i>Dactylis glomerata</i> | grass | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Vipersbugloss | <i>Echium vulgare</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Vipersbugloss | <i>Echium vulgare</i> | forb | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Leafy Spurge | <i>Euphorbia esula</i> | forb | O | | Chariton |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Tall Fescue | <i>Festuca arundinacea</i> | grass | O,F,W | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Meadow Fescue | <i>Festuca pratensis</i> | grass | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Camden |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|------------------------|-----------------------------|------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Indian heliotrope | <i>Heliotropium indicum</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Indian heliotrope | <i>Heliotropium indicum</i> | forb | | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Indian heliotrope | <i>Heliotropium indicum</i> | forb | | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Indian heliotrope | <i>Heliotropium indicum</i> | forb | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Indian heliotrope | <i>Heliotropium indicum</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Howell |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|------------------------|------------------------------|------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Shannon |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Thunbergii's Lespedeza | <i>Lespedeza thunbergii</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Miller |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|----------------------|------------------------------|-------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Italian Ryegrass | <i>Lolium perenne</i> | grass | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Camden |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------|------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spearmint | <i>Mentha spicata</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Peppermint | <i>Mentha x piperita</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Phelps |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-----------------|---------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Beefsteak Plant | <i>Perilla frutescens</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Webster |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------|----------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Shannon |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|--------------------|-----------------------------|-------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curlyleaf Pondweed | <i>Potamogeton crispus</i> | forb | A | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Webster |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bristly Locust | <i>Robinia hispida</i> | tree | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Black locust | <i>Robinia pseudoacacia</i> | tree | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Maries |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | European Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Phelps |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|--------------------|---------------------------|-------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bitter Dock | <i>Rumex obtusifolius</i> | forb | O,W | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bitter Dock | <i>Rumex obtusifolius</i> | forb | O,W | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bitter Dock | <i>Rumex obtusifolius</i> | forb | O,W | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Bitter Dock | <i>Rumex obtusifolius</i> | forb | O,W | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Purple Crown Vetch | <i>Securigera varia</i> | vine | | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Douglas |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|--------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Miller |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Johnson grass | <i>Sorghum halepense</i> | grass | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Johnson grass | <i>Sorghum halepense</i> | grass | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Wright |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------|-------|------------------------|------------------|-----------------------------|------|---------|--------|---------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Dent |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------|---------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Phelps |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Wright |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Camden |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Dallas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Dent |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Douglas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Howell |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Phelps |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|------------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Shannon |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Texas |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Webster |
| Ft. Leonard Wood | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Wright |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | Bryan | Effingham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | Evans | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | Liberty | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | chinaberry tree | <i>Melia azedarach</i> | tree | O | Liberty | McIntosh |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | Liberty | McIntosh |
| Ft. Stewart | GA | Red-cockaded Woodpecker | chinaberry tree | <i>Melia azedarach</i> | tree | O | Long | Bulloch |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | Tattinall | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Tattinall | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | chinaberry tree | <i>Melia azedarach</i> | tree | O | Tattinall | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | Tattinall | Bulloch |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | Chatham |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Stewart | GA | Red-cockaded Woodpecker | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Benghal dayflower | <i>Commelina benghalensis</i> | forb | | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | McIntosh |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | Effingham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | | Bulloch |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Bulloch |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | McIntosh |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | Bulloch |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Giant salvinia | <i>Salvinia auriculata</i> | forb | A | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Giant salvinia | <i>Salvinia auriculata</i> | forb | A | | McIntosh |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Rattlebox | <i>Sesbania punicea</i> | forb | O,F | | McIntosh |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|-------------------------|-----------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Ft. Stewart | GA | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | McIntosh |
| Ft. Stewart | GA | Red-cockaded Woodpecker | French Tamarix | <i>Tamarix gallica</i> | forb | O,W | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Chinese tallow tree | <i>Triadica sebifera</i> | tree | O,F | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Purpletop Vervain | <i>Verbena bonariensis</i> | forb | | | Chatham |
| Ft. Stewart | GA | Red-cockaded Woodpecker | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | | Bulloch |
| Holston AAP | TN | Gray Bat | Korea Clover | <i>Kummerowia stipulacea</i> | forb | | | Hawkins |
| Holston AAP | VA | Gray Bat | Korea Clover | <i>Kummerowia stipulacea</i> | forb | | | Scott |
| Holston AAP | TN | Gray Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | Dyer | Obion |
| Holston AAP | TN | Gray Bat | Parrot Feather Watermilfoil | <i>Myriophyllum aquaticum</i> | forb | A | Dyer | |
| Holston AAP | TN | Gray Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | Sullivan | Washington |
| Holston AAP | TN | Gray Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | Sullivan | Carter |
| Holston AAP | TN | Gray Bat | Mugwort | <i>Artemisia vulgaris</i> | forb | O | Sullivan | |
| Holston AAP | TN | Gray Bat | Small Carpgrass | <i>Arthraxon hispidus</i> | grass | | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Giant Reed | <i>Arundo donax</i> | grass | W | Sullivan | |
| Holston AAP | TN | Gray Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Sweet Autumn | <i>Clematis terniflora</i> | vine | | Sullivan | Washington |
| Holston AAP | TN | Gray Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Brazilian Waterweed | <i>Egeria densa</i> | forb | A | Sullivan | |
| Holston AAP | TN | Gray Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Paleyellow Iris | <i>Iris pseudacorus</i> | forb | | Sullivan | Johnson |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|----------|-----------------------------|-------------------------------|-------|---------|----------|---------------|
| Holston AAP | TN | Gray Bat | Tall Fescue | <i>Lolium arundinaceum</i> | grass | O | Sullivan | |
| Holston AAP | TN | Gray Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | Sullivan | Washington |
| Holston AAP | TN | Gray Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Amur Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | Sullivan | Washington |
| Holston AAP | TN | Gray Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | Sullivan | |
| Holston AAP | TN | Gray Bat | Parrot Feather Watermilfoil | <i>Myriophyllum aquaticum</i> | forb | A | Sullivan | |
| Holston AAP | TN | Gray Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Sullivan | Johnson |
| Holston AAP | TN | Gray Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | Sullivan | Carter |
| Holston AAP | TN | Gray Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | Sullivan | Washington |
| Holston AAP | TN | Gray Bat | Japanese Spiraea | <i>Spiraea japonica</i> | forb | O | Sullivan | Carter |
| Holston AAP | TN | Gray Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Periwinkle | <i>Vinca minor</i> | vine | O | Sullivan | Hawkins |
| Holston AAP | TN | Gray Bat | Tree-of-Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Silk Tree | <i>Albizia julibrissin</i> | tree | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Silk Tree | <i>Albizia julibrissin</i> | tree | O,F | | Washington |
| Holston AAP | TN | Gray Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Lauderdale |
| Holston AAP | TN | Gray Bat | Small Carpgrass | <i>Arthraxon hispidus</i> | grass | | | Johnson |
| Holston AAP | TN | Gray Bat | Japanese Barberry | <i>Berberis thunbergii</i> | forb | F | | Johnson |
| Holston AAP | TN | Gray Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Carter |
| Holston AAP | TN | Gray Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Johnson |
| Holston AAP | TN | Gray Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Washington |
| Holston AAP | TN | Gray Bat | Smooth Brome | <i>Bromus inermis</i> | grass | O | | Washington |
| Holston AAP | TN | Gray Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Hawkins |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|----------|-----------------------|-----------------------------------|-------|---------|--------|---------------|
| Holston AAP | TN | Gray Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Washington |
| Holston AAP | TN | Gray Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Carter |
| Holston AAP | TN | Gray Bat | Garden Cornflower | <i>Centaurea cyanus</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Hawkins |
| Holston AAP | TN | Gray Bat | Chicory | <i>Cichorium intybus</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Chicory | <i>Cichorium intybus</i> | forb | | | Hawkins |
| Holston AAP | TN | Gray Bat | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | Johnson |
| Holston AAP | TN | Gray Bat | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | Washington |
| Holston AAP | TN | Gray Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Washington |
| Holston AAP | TN | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Carter |
| Holston AAP | TN | Gray Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Hawkins |
| Holston AAP | TN | Gray Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Washington |
| Holston AAP | TN | Gray Bat | Thorny Olive | <i>Elaeagnus pungens</i> | forb | O | | Washington |
| Holston AAP | TN | Gray Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Johnson |
| Holston AAP | TN | Gray Bat | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | Washington |
| Holston AAP | TN | Gray Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Carter |
| Holston AAP | TN | Gray Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Johnson |
| Holston AAP | TN | Gray Bat | English Ivy | <i>Hedera helix</i> | vine | O,F | | Carter |
| Holston AAP | TN | Gray Bat | English Ivy | <i>Hedera helix</i> | vine | O,F | | Washington |
| Holston AAP | TN | Gray Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Washington |
| Holston AAP | TN | Gray Bat | Paleyellow Iris | <i>Iris pseudacorus</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | forbby Lespedeza | <i>Lespedeza bicolor</i> | forb | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Hawkins |
| Holston AAP | TN | Gray Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Bristol |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|------------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Holston AAP | TN | Gray Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Hawkins |
| Holston AAP | TN | Gray Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Scott |
| Holston AAP | TN | Gray Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | Washington |
| Holston AAP | TN | Gray Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | Carter |
| Holston AAP | TN | Gray Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Hawkins |
| Holston AAP | TN | Gray Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Washington |
| Holston AAP | TN | Gray Bat | Sweet Breath of Spring | <i>Lonicera fragrantissima</i> | | | | Washington |
| Holston AAP | TN | Gray Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Morrow's Honeysuckle | <i>Lonicera morrowii</i> | forb | O,F | | Washington |
| Holston AAP | TN | Gray Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Johnson |
| Holston AAP | TN | Gray Bat | Chinese Silvergrass | <i>Miscanthus sinensis</i> | grass | O | | Carter |
| Holston AAP | TN | Gray Bat | Chinese Silvergrass | <i>Miscanthus sinensis</i> | grass | O | | Washington |
| Holston AAP | TN | Gray Bat | Sleepydicke | <i>Ornithogalum umbellatum</i> | forb | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Carter |
| Holston AAP | TN | Gray Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Hawkins |
| Holston AAP | TN | Gray Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Washington |
| Holston AAP | TN | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Carter |
| Holston AAP | TN | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Hawkins |
| Holston AAP | TN | Gray Bat | White Poplar | <i>Populus alba</i> | tree | W | | Carter |
| Holston AAP | TN | Gray Bat | White Poplar | <i>Populus alba</i> | tree | W | | Washington |
| Holston AAP | TN | Gray Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | | Carter |
| Holston AAP | TN | Gray Bat | Kudzu | <i>Pueraria montana var. lobata</i> | vine | O,F | | Carter |
| Holston AAP | TN | Gray Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Hawkins |
| Holston AAP | TN | Gray Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Johnson |
| Holston AAP | TN | Gray Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Carter |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|----------|------------------------|-----------------------------|-------|---------|--------|---------------|
| Holston AAP | TN | Gray Bat | Wine Raspberry | <i>Rubus phoenicolasmus</i> | forb | | | Hawkins |
| Holston AAP | TN | Gray Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Johnson |
| Holston AAP | TN | Gray Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Washington |
| Holston AAP | TN | Gray Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Carter |
| Holston AAP | TN | Gray Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | | Lauderdale |
| Holston AAP | TN | Gray Bat | Yellow salsify | <i>Tragopogon dubius</i> | forb | O | | Hawkins |
| Holston AAP | TN | Gray Bat | Yellow salsify | <i>Tragopogon dubius</i> | forb | O | | Washington |
| Holston AAP | TN | Gray Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | Johnson |
| Holston AAP | TN | Gray Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | Washington |
| Holston AAP | TN | Gray Bat | Stinging Nettle | <i>Urtica dioica</i> | forb | | | Carter |
| Holston AAP | TN | Gray Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Hawkins |
| Holston AAP | TN | Gray Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Johnson |
| Holston AAP | TN | Gray Bat | Periwinkle | <i>Vinca minor</i> | vine | O | | Carter |
| Holston AAP | TN | Gray Bat | Japanese Wisteria | <i>Wisteria floribunda</i> | vine | | | Carter |
| Holston AAP | VA | Gray Bat | Tree-of-Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Tree-of-Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Silk Tree | <i>Albizia julibrissin</i> | tree | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Silk Tree | <i>Albizia julibrissin</i> | tree | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Scott |
| Holston AAP | VA | Gray Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Washington |
| Holston AAP | VA | Gray Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Mugwort | <i>Artemisia vulgaris</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Mugwort | <i>Artemisia vulgaris</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Small Carpgrass | <i>Arthraxon hispidus</i> | grass | | | Scott |
| Holston AAP | VA | Gray Bat | Smooth Brome | <i>Bromus inermis</i> | grass | O | | Scott |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|----------|------------------|-----------------------------------|-------|---------|--------|---------------|
| Holston AAP | VA | Gray Bat | Smooth Brome | <i>Bromus inermis</i> | grass | O | | Washington |
| Holston AAP | VA | Gray Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Scott |
| Holston AAP | VA | Gray Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Washington |
| Holston AAP | VA | Gray Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Wahsington |
| Holston AAP | VA | Gray Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Washington |
| Holston AAP | VA | Gray Bat | Chicory | <i>Cichorium intybus</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Chicory | <i>Cichorium intybus</i> | forb | | | Washington |
| Holston AAP | VA | Gray Bat | Bull Thistle | <i>Cirsium arvense</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Sweet Autumn | <i>Clematis terniflora</i> | vine | | | Scott |
| Holston AAP | VA | Gray Bat | Sweet Autumn | <i>Clematis terniflora</i> | vine | | | Washington |
| Holston AAP | VA | Gray Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Washington |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|----------|-----------------------------|--------------------------------|-------|---------|--------|---------------|
| Holston AAP | VA | Gray Bat | Paleyellow Iris | <i>Iris pseudacorus</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Paleyellow Iris | <i>Iris pseudacorus</i> | forb | | | Washington |
| Holston AAP | VA | Gray Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Washington |
| Holston AAP | VA | Gray Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | | Scott |
| Holston AAP | VA | Gray Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | | Washington |
| Holston AAP | VA | Gray Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Purple Loostrife | <i>Lythrum salicaria</i> | forb | O,F,W | | Scott |
| Holston AAP | VA | Gray Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Nepalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Chinese Silvergrass | <i>Miscanthus sinensis</i> | grass | O | | Wahsington |
| Holston AAP | VA | Gray Bat | Parrot Feather Watermilfoil | <i>Myriophyllum aquaticum</i> | forb | A | | Washington |
| Holston AAP | VA | Gray Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Scott |
| Holston AAP | VA | Gray Bat | Princesstree | <i>Paulownia tomentosa</i> | tree | O | | Washington |
| Holston AAP | VA | Gray Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Scott |
| Holston AAP | VA | Gray Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Washington |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|-----------------------|--|-------------|----------------|---------------|----------------------|
| Holston AAP | VA | Gray Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Scott |
| Holston AAP | VA | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Washington |
| Holston AAP | VA | Gray Bat | White Poplar | <i>Populus alba</i> | tree | W | | Scott |
| Holston AAP | VA | Gray Bat | White Poplar | <i>Populus alba</i> | tree | W | | Washington |
| Holston AAP | VA | Gray Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | | Scott |
| Holston AAP | VA | Gray Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | | Washington |
| Holston AAP | VA | Gray Bat | Kudzu | <i>Pueraria montana</i> var. <i>lobata</i> | vine | O,F | | Scott |
| Holston AAP | VA | Gray Bat | Kudzu | <i>Pueraria montana</i> var. <i>lobata</i> | vine | O,F | | Washington |
| Holston AAP | VA | Gray Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Washington |
| Holston AAP | VA | Gray Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Wine Raspberry | <i>Rubus phoenicolasius</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Scott |
| Holston AAP | VA | Gray Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Washington |
| Holston AAP | VA | Gray Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Scott |
| Holston AAP | VA | Gray Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | Washington |
| Holston AAP | VA | Gray Bat | Japanese Spiraea | <i>Spiraea japonica</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Yellow salsify | <i>Tragopogon dubius</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | Washington |
| Holston AAP | VA | Gray Bat | Stinging Nettle | <i>Urtica dioica</i> | forb | | | Scott |
| Holston AAP | VA | Gray Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Washington |
| Holston AAP | VA | Gray Bat | Garden Vetch | <i>Vicia sativa</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Garden Vetch | <i>Vicia sativa</i> | forb | O | | Washington |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|-----------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Holston AAP | VA | Gray Bat | Perriwinkle | <i>Vinca minor</i> | vine | O | | Scott |
| Holston AAP | VA | Gray Bat | Perriwinkle | <i>Vinca minor</i> | vine | O | | Washington |
| Holston AAP | VA | Gray Bat | Rough Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Scott |
| Holston AAP | VA | Gray Bat | Rough Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Washington |
| Indiana AAP | IN | Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | |
| Indiana AAP | IN | Indiana Bat | Black alder | <i>Alnus glutinosa</i> | forb | F | | |
| Indiana AAP | IN | Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | |
| Indiana AAP | IN | Indiana Bat | Canada thistle | <i>Cirsium arvense</i> | forb | O | | |
| Indiana AAP | IN | Indiana Bat | Winged Burning Bush | <i>Euonymus alata</i> | forb | F | | |
| Indiana AAP | IN | Indiana Bat | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| Indiana AAP | IN | Indiana Bat | Tall Fescue | <i>Festuc elatior</i> | grass | O,F | | |
| Indiana AAP | IN | Indiana Bat | Creeping Charlie | <i>Glechoma bederacea</i> | vine | O,F | | |
| Indiana AAP | IN | Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | |
| Indiana AAP | IN | Indiana Bat | Japanese Hops | <i>Humulus japonicus</i> | vine | F | | |
| Indiana AAP | IN | Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | |
| Indiana AAP | IN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | |
| Indiana AAP | IN | Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | |
| Indiana AAP | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |
| Indiana AAP | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |
| Indiana AAP | IN | Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | |
| Indiana AAP | IN | Indiana Bat | Japanese Stilt Grass | <i>Microstegium vimineum</i> | grass | O,F | | |
| Indiana AAP | IN | Indiana Bat | Maiden Grass | <i>Miscanthus sinensis</i> | grass | O | | |
| Indiana AAP | IN | Indiana Bat | Sleepydicke | <i>Ornithogalum umbellatum</i> | forb | O,F | | |
| Indiana AAP | IN | Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | F | | |
| Indiana AAP | IN | Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | |
| Indiana AAP | IN | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | |
| Indiana AAP | IN | Indiana Bat | Siberian Elm | <i>Ulmus pumila</i> | tree | F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|----------------|-----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Jefferson Proving Grounds | IN | Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Black alder | <i>Alnus glutinosa</i> | forb | F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Canada thistle | <i>Cirsium arvense</i> | forb | O | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Winged Burning Bush | <i>Euonymus alata</i> | forb | F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Tall Fescue | <i>Festuc elatior</i> | grass | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Creeping Charlie | <i>Glechoma bederacea</i> | vine | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Japanese Hops | <i>Humulus japonicus</i> | vine | F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------------|--------------|------------------------|------------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Jefferson Proving Grounds | IN | Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Japanese Stilt Grass | <i>Microstegium vimineum</i> | grass | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Maiden Grass | <i>Miscanthus sinensis</i> | grass | O | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | |
| Jefferson Proving Grounds | IN | Indiana Bat | Siberian Elm | <i>Ulmus pumila</i> | tree | F | | |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | Macon | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | Macon | Knox |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Birdfoot Deervetch | <i>Lotus corniculatus</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Reed Canary Grass | <i>Phalaris arundinacea</i> | grass | O,W | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Reed | <i>Phragmites australis</i> | grass | W | Macon | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | Macon | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | Macon | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | Macon | Adair |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Purple Crown Vetch | <i>Securigera varia</i> | vine | | Macon | |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | Macon | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Redtop | <i>Agrostis gigantea</i> | grass | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Redtop | <i>Agrostis gigantea</i> | grass | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Blackberry Lily | <i>Belamcanda chinensis</i> | forb | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | Adair |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Downy Brome | <i>Bromus tectorum</i> | grass | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Downy Brome | <i>Bromus tectorum</i> | grass | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Downy Brome | <i>Bromus tectorum</i> | grass | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Marijuana | <i>Cannabis sativa</i> | forb | | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Linn |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Shepherd's Purse | <i>Capsella bursa-pastoris</i> | forb | | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Lambsquaters | <i>Chenopodium album</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Lambsquaters | <i>Chenopodium album</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Lambsquaters | <i>Chenopodium album</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Orchardgrass | <i>Dactylis glomerata</i> | grass | | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Orchardgrass | <i>Dactylis glomerata</i> | grass | | | Randolph |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-------------------|-------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Deptford pink | <i>Dianthus armeria</i> | forb | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Cut-leaved Teasel | <i>Dipsacus laciniatus</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Cut-leaved Teasel | <i>Dipsacus laciniatus</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Cut-leaved Teasel | <i>Dipsacus laciniatus</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Cut-leaved Teasel | <i>Dipsacus laciniatus</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Tall Fescue | <i>Festuca arundinacea</i> | grass | O,F,W | | Monroe |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------|----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Meadow Fescue | <i>Festuca pratensis</i> | grass | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Meadow Fescue | <i>Festuca pratensis</i> | grass | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Little Barley | <i>Hordeum pusillum</i> | grass | | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Hops | <i>Humulus japonicus</i> | vine | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Hops | <i>Humulus japonicus</i> | vine | O | | Chariton |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Motherwort | <i>Leonurus cardiaca</i> | forb | | | Linn |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Amazon sprangletop | <i>Leptochloa panicoides</i> | grass | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Ox-eye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Birdfoot Deervetch | <i>Lotus corniculatus</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Birdfoot Deervetch | <i>Lotus corniculatus</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Birdfoot Deervetch | <i>Lotus corniculatus</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Linn |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------|------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Osage orange | <i>Maclura pomifera</i> | tree | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | | Chariton |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|-------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | White Mulberry | <i>Morus alba</i> | tree | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Wild Parsnip | <i>Pastinaca sativa</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Reed Canary Grass | <i>Phalaris arundinacea</i> | grass | O,W | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Reed Canary Grass | <i>Phalaris arundinacea</i> | grass | O,W | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Reed Canary Grass | <i>Phalaris arundinacea</i> | grass | O,W | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Linn |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Reed | <i>Phragmites australis</i> | grass | W | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Canada bluegrass | <i>Poa compressa</i> | grass | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Kentucky bluegrass | <i>Poa pratensis</i> | grass | O | | Randolph |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|------------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil+D46 | <i>Potentilla recta</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Black locust | <i>Robinia pseudoacacia</i> | tree | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Black locust | <i>Robinia pseudoacacia</i> | tree | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Black locust | <i>Robinia pseudoacacia</i> | tree | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Black locust | <i>Robinia pseudoacacia</i> | tree | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | Randolph |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------|---------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Bitter Dock | <i>Rumex obtusifolius</i> | forb | O,W | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Smooth Millet | <i>Setaria glauca</i> | grass | O,W | | Shelby |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|---------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Green Bristlegrass | <i>Setaria viridis</i> | grass | O,W | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Prickly Fanpetals | <i>Sida spinosa</i> | forb | | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | climbing nightshade | <i>Solanum dulcamara</i> | forb | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Knox |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|--------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Dandelion | <i>Taraxacum officinale</i> | forb | O,F | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Yellow Goats-beard | <i>Tragopogon dubius</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Yellow Goats-beard | <i>Tragopogon dubius</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Field Clover | <i>Trifolium campestre</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Red Clover | <i>Trifolium pratense</i> | forb | O | | Shelby |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|------------------------|----------------|--------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | White Clover | <i>Trifolium repens</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Adair |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Chariton |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Knox |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Linn |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Monroe |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Randolph |
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Shelby |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-------------------------------------|--------------|-------------------------|----------------|------------------------------|-------------|----------------|---------------|----------------------|
| Macon TS | MO | Gray Bat & Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | O | | Shelby |
| Macon TS | MO | Gray Bat & Indiana Bat | Periwinkle | <i>Vinca minor</i> | vine | O | | Adair |
| Military Ocean Terminal Sunny Point | NC | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | Currituck | Dare |
| Military Ocean Terminal Sunny Point | NC | Red Cockaded Woodpecker | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Camden |
| Military Ocean Terminal Sunny Point | NC | Red Cockaded Woodpecker | Timothy | <i>Phleum pratense</i> | grass | | | Camden |
| Military Ocean Terminal Sunny Point | NC | Red Cockaded Woodpecker | Timothy | <i>Phleum pratense</i> | grass | | | Dare |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Chesapeake |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | Virginia Beach |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Chesapeake |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | Virginia Beach |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-------------------------------------|--------------|-------------------------|-----------------------|------------------------------------|-------------|----------------|---------------|----------------------|
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Chesapeake |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | Virginia Beach |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Periwinkle | <i>Vinca minor</i> | vine | O | | Chesapeake |
| Military Ocean Terminal Sunny Point | VA | Red Cockaded Woodpecker | Periwinkle | <i>Vinca minor</i> | vine | O | | Virginia Beach |
| Newport Chemicat Activity | IN | Indiana Bat | Norway Maple | <i>Acer platanoides L.</i> | tree | F | | |
| Newport Chemicat Activity | IN | Indiana Bat | Black alder | <i>Almus glutinosa</i> | forb | F | | |
| Newport Chemicat Activity | IN | Indiana Bat | Smooth brome | <i>Bromus inermis</i> | grass | O | | |
| Newport Chemicat Activity | IN | Indiana Bat | Canada thistle | <i>Cirsium arvense</i> | forb | O | | |
| Newport Chemicat Activity | IN | Indiana Bat | Winged Burning Bush | <i>Euonymus alata</i> | forb | F | | |
| Newport Chemicat Activity | IN | Indiana Bat | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| Newport Chemicat Activity | IN | Indiana Bat | Tall Fescue | <i>Festuc elatior</i> | grass | O,F | | |
| Newport Chemicat Activity | IN | Indiana Bat | Creeping Charlie | <i>Glechoma bederacea</i> | vine | O,F | | |
| Newport Chemicat Activity | IN | Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|------------------------------|--------------|----------------|----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Newport Chemical Activity | IN | Indiana Bat | Japanese Hops | <i>Humulus japonicus</i> | vine | F | | |
| Newport Chemical Activity | IN | Indiana Bat | forbby Bushclover | <i>Lespedeza bicolor</i> | forb | O,F | | |
| Newport Chemical Activity | IN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | |
| Newport Chemical Activity | IN | Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | |
| Newport Chemical Activity | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |
| Newport Chemical Activity | IN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | | |
| Newport Chemical Activity | IN | Indiana Bat | Sweet Clover | <i>Melilotus officinalis</i> | forb | O | | |
| Newport Chemical Activity | IN | Indiana Bat | Japanese Stilt Grass | <i>Microstegium vimineum</i> | grass | O,F | | |
| Newport Chemical Activity | IN | Indiana Bat | Maiden Grass | <i>Miscanthus sinensis</i> | grass | O | | |
| Newport Chemical Activity | IN | Indiana Bat | Sleepydic | <i>Ornithogalum umbellatum</i> | forb | O,F | | |
| Newport Chemical Activity | IN | Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | F | | |
| Newport Chemical Activity | IN | Indiana Bat | Black locust | <i>Robinia pseudoacacia L.</i> | tree | O | | |
| Newport Chemical Activity | IN | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | |
| Newport Chemical Activity | IN | Indiana Bat | Siberian Elm | <i>Ulmus pumila</i> | tree | F | | |
| Tullahoma TS | TN | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | Coffee | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|---------------------------|--|-------------|----------------|---------------|----------------------|
| Tullahoma TS | TN | Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | Coffee | Marion |
| Tullahoma TS | TN | Indiana Bat | Small Carpgrass | <i>Arthraxon hispidus</i> | grass | | Coffee | Lincoln |
| Tullahoma TS | TN | Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | Coffee | Marion |
| Tullahoma TS | TN | Indiana Bat | Garden Cornflower | <i>Centaurea cyanus</i> | forb | | Coffee | Warren |
| Tullahoma TS | TN | Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Coffee | Bedford |
| Tullahoma TS | TN | Indiana Bat | Bull Thistle | <i>Cirsium vulgare</i> | | | Coffee | Warren |
| Tullahoma TS | TN | Indiana Bat | Brazilian Waterweed | <i>Egeria densa</i> | forb | A | Coffee | |
| Tullahoma TS | TN | Indiana Bat | Thorny Olive | <i>Elaeagnus pungens</i> | forb | O | Coffee | Warren |
| Tullahoma TS | TN | Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | Coffee | |
| Tullahoma TS | TN | Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | Coffee | Cannon |
| Tullahoma TS | TN | Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | Coffee | Marion |
| Tullahoma TS | TN | Indiana Bat | Shrubby Lespedeza | <i>Lespedeza bicolor</i> | forb | O,F | Coffee | Grundy |
| Tullahoma TS | TN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Coffee | |
| Tullahoma TS | TN | Indiana Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | Coffee | Marion |
| Tullahoma TS | TN | Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | | Coffee | Grundy |
| Tullahoma TS | TN | Indiana Bat | Amur Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | Coffee | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Eurasian Watermilfoil | <i>Myriophyllum spicatum</i> | forb | | Coffee | |
| Tullahoma TS | TN | Indiana Bat | Princess Tree | <i>Paulownia tomentosa</i> | tree | O | Coffee | |
| Tullahoma TS | TN | Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Coffee | Marion |
| Tullahoma TS | TN | Indiana Bat | Kudzu | <i>Pueraria montana</i> var. <i>lobata</i> | vine | O,F | Coffee | Marion |
| Tullahoma TS | TN | Indiana Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | Coffee | Grundy |
| Tullahoma TS | TN | Indiana Bat | Foxtail Bristlegrass | <i>Setaria italica</i> | grass | | Coffee | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | Franklin | |
| Tullahoma TS | TN | Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | Franklin | Marion |
| Tullahoma TS | TN | Indiana Bat | Nodding Plumeless Thistle | <i>Carduus nutans</i> | forb | O | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | Franklin | Rutherford |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|------------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Tullahoma TS | TN | Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | Franklin | Moore |
| Tullahoma TS | TN | Indiana Bat | Queen Anne's Lace | <i>Daucus carota</i> | forb | O | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | Franklin | Marion |
| Tullahoma TS | TN | Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | Franklin | Marion |
| Tullahoma TS | TN | Indiana Bat | Japanese Clover | <i>Kummerowia striata</i> | forb | | Franklin | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | Franklin | Marion |
| Tullahoma TS | TN | Indiana Bat | Tall Fescue | <i>Lolium arundinaceum</i> | grass | | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | Franklin | Cannon |
| Tullahoma TS | TN | Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | | Franklin | Marion |
| Tullahoma TS | TN | Indiana Bat | Creeping Jenny | <i>Lysimachia nummularia</i> | vine | O,F | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Napalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Sleepydicke | <i>Ornithogalum umbellatum</i> | forb | O,F | Franklin | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Princess Tree | <i>Paulownia tomentosa</i> | tree | O | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | White Poplar | <i>Populus alba</i> | tree | W | Franklin | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | | Franklin | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Japanese Spiraea | <i>Spiraea japonica</i> | forb | | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | Franklin | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | | Franklin | Grundy |
| Tullahoma TS | TN | Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Lincoln |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------|---------------------------|------------------------------------|-------|---------|--------|---------------|
| Tullahoma TS | TN | Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | Marion |
| Tullahoma TS | TN | Indiana Bat | Giant Reed | <i>Arundo donax</i> | grass | W | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Japanese Barberry | <i>Berberis thunbergii</i> | forb | F | | Marion |
| Tullahoma TS | TN | Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | Moore |
| Tullahoma TS | TN | Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Moore |
| Tullahoma TS | TN | Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Japanese Brome | <i>Bromus japonicus</i> | grass | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Rye Brome | <i>Bromus secalinus</i> | grass | O | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Rye Brome | <i>Bromus secalinus</i> | grass | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Warren |
| Tullahoma TS | TN | Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Cheatgrass | <i>Bromus tectorum</i> | grass | O | | Lincoln |
| Tullahoma TS | TN | Indiana Bat | Love in a Puff | <i>Cardiospermum halicacabum</i> | vine | | | Marion |
| Tullahoma TS | TN | Indiana Bat | Love in a Puff | <i>Cardiospermum halicacabum</i> | vine | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Love in a Puff | <i>Cardiospermum halicacabum</i> | vine | | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Nodding Plumeless Thistle | <i>Carduus nutans</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Warren |
| Tullahoma TS | TN | Indiana Bat | Garden Cornflower | <i>Centaurea cyanus</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Moore |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|-------------------|-----------------------------------|-------------|----------------|---------------|----------------------|
| Tullahoma TS | TN | Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Lincoln |
| Tullahoma TS | TN | Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Chicory | <i>Cichorium intybus</i> | forb | | | Warren |
| Tullahoma TS | TN | Indiana Bat | Chicory | <i>Cichorium intybus</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Sweet Autumn | <i>Clematis terniflora</i> | vine | | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Queen Anne's Lace | <i>Daucus carota</i> | forb | O | | Marion |
| Tullahoma TS | TN | Indiana Bat | Queen Anne's Lace | <i>Daucus carota</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Warren |
| Tullahoma TS | TN | Indiana Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Fuller's Teasel | <i>Dipsacus fullonum</i> | forb | O | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Fuller's Teasel | <i>Dipsacus fullonum</i> | | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Dame's Rocket | <i>Hesperis matronalis</i> | forb | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Korean clover | <i>Kummerowia stipulacea</i> | forb | | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Shrubby Lespedeza | <i>Lespedeza bicolor</i> | forb | O,F | | Moore |
| Tullahoma TS | TN | Indiana Bat | Shrubby Lespedeza | <i>Lespedeza bicolor</i> | forb | O,F | | Lincoln |
| Tullahoma TS | TN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Warren |
| Tullahoma TS | TN | Indiana Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | European Privet | <i>Ligustrum vulgare</i> | forb | O,F,W | | Grundy |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|-----------------------------|--|-------------|----------------|---------------|----------------------|
| Tullahoma TS | TN | Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Lincoln |
| Tullahoma TS | TN | Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Corn Gromwell | <i>Lithospermum arvense</i> | forb | | | Warren |
| Tullahoma TS | TN | Indiana Bat | Tall Fescue | <i>Lolium arundinaceum</i> | grass | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Sweet Breath of Spring | <i>Lonicera fragrantissima</i> | | | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | | | Lincoln |
| Tullahoma TS | TN | Indiana Bat | Morrow's Honeysuckle | <i>Lonicera morrowii</i> | forb | O,F | | Warren |
| Tullahoma TS | TN | Indiana Bat | Purple Loosetrife | <i>Lythrum salicaria</i> | forb | O,F,W | | Warren |
| Tullahoma TS | TN | Indiana Bat | Purple Loosetrife | <i>Lythrum salicaria</i> | forb | O,F,W | | Marion |
| Tullahoma TS | TN | Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Yellow Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Napalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Marion |
| Tullahoma TS | TN | Indiana Bat | Napalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Napalese Browntop | <i>Microstegium vimineum</i> | grass | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Chinese Silvergrass | <i>Miscanthus sinensis</i> | grass | O | | Warren |
| Tullahoma TS | TN | Indiana Bat | Parrot Feather Watermilfoil | <i>Myriophyllum aquaticum</i> | forb | A | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | | Marion |
| Tullahoma TS | TN | Indiana Bat | Curly Pondweed | <i>Potamogeton crispus</i> | forb | A | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Kudzu | <i>Pueraria montana</i> var. <i>lobata</i> | vine | O,F | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Kudzu | <i>Pueraria montana</i> var. <i>lobata</i> | vine | O,F | | Lincoln |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|------------------------|-------------------------------------|-------------|----------------|---------------|----------------------|
| Tullahoma TS | TN | Indiana Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Marion |
| Tullahoma TS | TN | Indiana Bat | Watercress | <i>Rorippa nasturtium-aquaticum</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Wine Raspberry | <i>Rubus phoenicolasius</i> | forb | | | Marion |
| Tullahoma TS | TN | Indiana Bat | Wine Raspberry | <i>Rubus phoenicolasius</i> | forb | | | Grundy |
| Tullahoma TS | TN | Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Moore |
| Tullahoma TS | TN | Indiana Bat | Japanese Bristlegrass | <i>Setaria faberi</i> | grass | O,W | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | | | Marion |
| Tullahoma TS | TN | Indiana Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | | Cannon |
| Tullahoma TS | TN | Indiana Bat | Spreading Hedgeparsley | <i>Torilis arvensis</i> | forb | | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Yellow salsify | <i>Tragopogon dubius</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Yellow salsify | <i>Tragopogon dubius</i> | forb | | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | | | Moore |
| Tullahoma TS | TN | Indiana Bat | Common Mullein | <i>Verbascum thapsus</i> | forb | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Common Periwinkle | <i>Vinca minor</i> | vine | | | Rutherford |
| Tullahoma TS | TN | Indiana Bat | Japanese Wisteria | <i>Wisteria floribunda</i> | vine | | | Marion |
| Tullahoma TS | TN | Indiana Bat | Chinese wisteria | <i>Wisteria sinensis</i> | vine | O | | Marion |
| Tullahoma TS | TN | Indiana Bat | Rough Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Marion |
| Tullahoma TS | TN | Indiana Bat | Rough Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Bedford |
| Tullahoma TS | TN | Indiana Bat | Rough Cocklebur | <i>Xanthium strumarium</i> | forb | O | | Rutherford |
| Wendell H. Ford TS | KY | Gray Bat | Common Reed | <i>Phragmites australis</i> | grass | W | Muhlenberg | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | Muhlenberg | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | Muhlenberg | Butler |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|--------------|----------------|----------------------|------------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | Muhlenberg | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Orange Daylily | <i>Homero callis fulva</i> | | | Muhlenberg | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | Muhlenberg | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Oxeye Daisy | <i>Leucanthemum vulgare</i> | forb | O | Muhlenberg | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Japenese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | Muhlenberg | Christian |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | Muhlenberg | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | Muhlenberg | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | Muhlenberg | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | Muhlenberg | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Garden Yellowrocket | <i>Barbarea vulgaris</i> | forb | O | | McLean |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|--------------|----------------|-------------------|---------------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Nodding Thistle | <i>Carduus nutans</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Spotted Knapweed | <i>Centaurea biebersteinii</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Lambsquarters | <i>Chenopodium album</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Mexican Tea | <i>Chenopodium ambrosioides</i> | forb | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Asiatic Dayflower | <i>Commelina communis</i> | forb | | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Purple Crownvetch | <i>Coronilla varia</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | McLean |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|---------------------|--------------|----------------|-------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Deptford Pink | <i>Dianthus armeria</i> | forb | | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Chinese Yam | <i>Dioscorea oppositifolia</i> | vine | O,F | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Indian Strawberry | <i>Duchesnea indica</i> | forb | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Indian Goosegrass | <i>Eleusine indica</i> | grass | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Indian Goosegrass | <i>Eleusine indica</i> | grass | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Indian Goosegrass | <i>Eleusine indica</i> | grass | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Stinkgrass | <i>Eragrostis ciliaris</i> | grass | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Stickywilly | <i>Galium aparine</i> | forb | | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Stickywilly | <i>Galium aparine</i> | forb | | | McLean |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|--------------|----------------|----------------|------------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Ground Ivy | <i>Glechoma hederacea</i> | forb | O | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Orange Daylily | <i>Homero callis fulva</i> | | | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Orange Daylily | <i>Homero callis fulva</i> | | | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Orange Daylily | <i>Homero callis fulva</i> | | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Orange Daylily | <i>Homero callis fulva</i> | | | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Orange Daylily | <i>Homero callis fulva</i> | | | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | St. Johnswort | <i>Hypericum perforatum</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | St. Johnswort | <i>Hypericum perforatum</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | St. Johnswort | <i>Hypericum perforatum</i> | forb | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Morning Glory | <i>Ipomoea hederacea</i> | vine | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Morning Glory | <i>Ipomoea hederacea</i> | vine | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Morning Glory | <i>Ipomoea hederacea</i> | vine | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Whitestar | <i>Ipomoea lacunosa</i> | vine | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Korean Clover | <i>Kummerowia stipulacea</i> | forb | | | McLean |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|--------------|----------------|----------------------|-----------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Willowleaf Lettuce | <i>Lactuca saligna</i> | forb | O,W | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Henbit Deadnettle | <i>Lamium amplexicaule</i> | forb | O | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Henbit Deadnettle | <i>Lamium amplexicaule</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Henbit Deadnettle | <i>Lamium amplexicaule</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Chinese Lespedeza | <i>Lespedeza cuneata</i> | forb | O,F | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Artium minus | <i>Lesser burdock</i> | | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Oxeye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Oxeye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Oxeye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Oxeye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Oxeye Daisy | <i>Leucanthemum vulgare</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Perennial Ryegrass | <i>Lolium Perenne</i> | grass | | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Meadow Ryegrass | <i>Lolium pratense</i> | grass | | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Japenese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Hopkins |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|--------------|----------------|----------------------|--------------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Japenese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Black Medick | <i>Medicago lupulina</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | White Sweetclover | <i>Melilotus officinalis</i> | forb | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | White Mulberry | <i>Morus alba</i> | tree | O | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | McLean |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|-------|----------|----------------------|------------------------------|-------|---------|--------|---------------|
| Wendell H. Ford TS | KY | Gray Bat | Common Yellow Oxalis | <i>Oxalis stricta</i> | forb | | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Timothy | <i>Phleum pratense</i> | grass | | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Timothy | <i>Phleum pratense</i> | grass | | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Timothy | <i>Phleum pratense</i> | grass | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Canada Bluegrass | <i>Poa compressa</i> | grass | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Kentucky Bluegrass | <i>Poa pratensis</i> | grass | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Oriental Ladysthumb | <i>Polygonum caespitosum</i> | forb | O,W | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Spotted Ladysthumb | <i>Polygonum persicaria</i> | forb | O,W | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | White Poplar | <i>Populus alba</i> | tree | W | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | White Poplar | <i>Populus alba</i> | tree | W | | Hopkins |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|-----------------------|--------------|---------------------------|--------------------|--------------------------|-------------|----------------|---------------|----------------------|
| Wendell H. Ford TS | KY | Gray Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | Butler |
| Wendell H. Ford TS | KY | Gray Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | Christian |
| Wendell H. Ford TS | KY | Gray Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | Ohio |
| Wendell H. Ford TS | KY | Gray Bat | Common Selfheal | <i>Prunella vulgaris</i> | forb | | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | Logan |
| Wendell H. Ford TS | KY | Gray Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Common Sheep Sorel | <i>Rumex acetosella</i> | forb | O | | Hopkins |
| Wendell H. Ford TS | KY | Gray Bat | Common Sheep Sorel | <i>Rumex acetosella</i> | forb | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Johnsongrass | <i>Sorghum Halepense</i> | grass | O | | McLean |
| Wendell H. Ford TS | KY | Gray Bat | Johnsongrass | <i>Sorghum Halepense</i> | grass | O | | Todd |
| Wendell H. Ford TS | KY | Gray Bat | Common Chickweed | <i>Stellaria media</i> | forb | F,W | | Hopkins |
| | AL | Grey Bat & Indiana Bat | Aeginetia | <i>Aeginetia spp.</i> | forb | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|-----------------------------|------------------------------------|-------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Sticky Snakeroot | <i>Ageratina adenophora</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Alectra | <i>Alectra spp.</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | |
| | AL | Grey Bat & Indiana Bat | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | |
| | AL | Grey Bat & Indiana Bat | Sessile Joyweed | <i>Alternanthera sessilis</i> | forb | A,W | | |
| | AL | Grey Bat & Indiana Bat | Onionweed | <i>Asphodelus fistulosus</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Animated Oat | <i>Avena sterilis</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Mosquito forb, Water Velvet | <i>Azolla pinnata</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Balloongvine | <i>Cardiospermum halicacabum</i> | vine | | | |
| | AL | Grey Bat & Indiana Bat | Jeweled Distaff Thistle | <i>Carthamus oxyacantha</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Caulerpa | <i>Caulerpa taxifolia</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Golden False Beardgrass | <i>Chrysopogon aciculatus</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Benghal dayflower | <i>Commelina benghalensis</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Swamp Stonecrop | <i>Crassula helmsii</i> | frob | | | |
| | AL | Grey Bat & Indiana Bat | Common Crupina | <i>Crupina vulgaris</i> | forb | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|------------------------|---|-------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | |
| | AL | Grey Bat & Indiana Bat | African couchgrass | <i>Digitaria abyssinica (D. scalarum)</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Velvet Crabgrass | <i>Digitaria velutina</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Chinese Yam | <i>Dioscorea bulbifera</i> | vine | O,F | | |
| | AL | Grey Bat & Indiana Bat | Sandy Drymaria | <i>Drymaria arenarioides</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Brazilian waterweed | <i>Egeria densa</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Anchored Waterhyacinth | <i>Eichhornia azurea</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Three-cornered Jack | <i>Emex australis</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Devil's Thorn | <i>Emex spinosa</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Hairy Crabweed | <i>Fatoua villosa</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Goats Rue | <i>Galega officinalis</i> | forb | O | | |
| | AL | Grey Bat & Indiana Bat | Hogweed | <i>Heracleum mantegazzianum</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Cape Tulip | <i>Homeria spp.</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|--------------------------|--------------------------------|-------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Indian Swampweed | <i>Hygrophila polysperma</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Brazilian satintail | <i>Imperata brasiliensis</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Congongrass | <i>Imperata cylindrica</i> | grass | O,F | | |
| | AL | Grey Bat & Indiana Bat | Swamp Morningglory | <i>Ipomoea aquatica</i> | vine | O | | |
| | AL | Grey Bat & Indiana Bat | Ribbed Murainagrass | <i>Ischaemum rugosum</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Oxygen Weed | <i>Lagarosiphon major</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Asian sprangletop | <i>Leptochloa chinensis</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Asian marshweed, ambulia | <i>Limnophila sessiliflora</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | African boxthorn | <i>Lycium ferocissimum</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | | |
| | AL | Grey Bat & Indiana Bat | Small Leaf Climbing forb | <i>Lygodium microphyllum</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | |
| | AL | Grey Bat & Indiana Bat | Melaleuca | <i>Melaleuca quinquenervia</i> | tree | W,A | | |
| | AL | Grey Bat & Indiana Bat | Malabar melastome | <i>Melastoma malabathricum</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Japanese stilt grass | <i>Microstegium vimineum</i> | grass | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|-----------------------------|--|-------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Heartleaf Hempvine | <i>Mikania cordata</i> | vine | O,F,W | | |
| | AL | Grey Bat & Indiana Bat | Climbing Hempweed | <i>Mikania micrantha</i> | vine | O,F,W | | |
| | AL | Grey Bat & Indiana Bat | Giant False Sensitive Plant | <i>Mimosa diplostachya (M. invisa)</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Black Mimosa | <i>Mimosa pigra</i> | forb | F,W | | |
| | AL | Grey Bat & Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | AL | Grey Bat & Indiana Bat | Monochoria | <i>Monochoria hastata</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Heartshape False | <i>Monochoria vaginalis</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Parrot Feather | <i>Myriophyllum aquaticum</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Serrated Tussock | <i>Nassella trichotoma</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Jointed Prickly Pear | <i>Opuntia aurantiaca</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Sleepydick | <i>Ornithogalum umbellatum</i> | forb | O,F | | |
| | AL | Grey Bat & Indiana Bat | Common Broomrape | <i>Orobanche minor</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Branched Broomrape | <i>Orobanche ramosa</i> | forb | O | | |
| | AL | Grey Bat & Indiana Bat | Branched Broomrape | <i>Orobanche ramosa</i> | forb | O | | |
| | AL | Grey Bat & Indiana Bat | Longstamen Rice, Red Rice | <i>Oryza longistaminata</i> | grass | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|-----------------------------|--------------------------------|-------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Red Rice | <i>Oryza punctata</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Brownbeard Rice, Red Rice | <i>Oryza rufipogon</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Ducklettuce | <i>Ottelia alismoides</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Skunkvine | <i>Paederia foetida</i> | vine | O,F | | |
| | AL | Grey Bat & Indiana Bat | Torpedograss | <i>Panicum repens</i> | grass | O,W | | |
| | AL | Grey Bat & Indiana Bat | Kodomillet | <i>Paspalum scrobiculatum</i> | grass | O,W | | |
| | AL | Grey Bat & Indiana Bat | Kikuyugrass | <i>Pennisetum clandestinum</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | African feathergrass | <i>Pennisetum macrourum</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Missiongrass | <i>Pennisetum polystachyon</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Common Reed | <i>Phragmites australis</i> | grass | W | | |
| | AL | Grey Bat & Indiana Bat | Mascarene Island Leafflower | <i>Phyllanthus tenellus</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Chamber Bitter | <i>Phyllanthus urinaria</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Water Lettuce | <i>Pistia stratiotes</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|------------------------|------------------------------------|-------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Mile-a-Minute Weed | <i>Polygonum perfoliatum</i> | forb | O,W | | |
| | AL | Grey Bat & Indiana Bat | Curlyleaf Pondweed | <i>Potamogeton crispus</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Mesquites | <i>Prosopis spp.</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | multiflora rose | <i>Rosa multiflora</i> | forb | O | | |
| | AL | Grey Bat & Indiana Bat | Itchgrass | <i>Rottboellia cochinchinensis</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | forbby Blackberry | <i>Rubus fruticosus</i> | vine | | | |
| | AL | Grey Bat & Indiana Bat | Ellkek, Wild Raspberry | <i>Rubus moluccanus</i> | forb | F | | |
| | AL | Grey Bat & Indiana Bat | Wild Sugarcane | <i>Saccharum spontaneum</i> | grass | | | |
| | AL | Grey Bat & Indiana Bat | Arrowhead | <i>Sagittaria sagittifolia</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Russian thistle | <i>Salsola vermiculata</i> | forb | O | | |
| | AL | Grey Bat & Indiana Bat | Giant salvinia | <i>Salvinia auriculata</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Giant salvinia | <i>Salvinia biloba</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Giant salvinia | <i>Salvinia herzogii</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Kariba-Weed | <i>Salvinia molesta</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Yellow Bristlegrass | <i>Setaria pumila</i> | grass | O,W | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|---------------------------|--|--------|---------|--------|---------------|
| | AL | Grey Bat & Indiana Bat | Wetland Nightshade | <i>Solanum tampicense</i> | forb | A | | |
| | AL | Grey Bat & Indiana Bat | Turkeyberry, Susumber | <i>Solanum torvum</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | |
| | AL | Grey Bat & Indiana Bat | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | AL | Grey Bat & Indiana Bat | Simplestem Bur-weed | <i>Sparganium erectum</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Winged False Buttonweed | <i>Spermacoce alata (Borreria alata)</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Water-aloe | <i>Stratiotes aloides</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Asiatic witchweed | <i>Striga asiatica</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Indigo Witchweed | <i>Striga gesnerioides</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Witchweed | <i>Striga spp.</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Water Chestnust | <i>Trapa natans</i> | forb | W | | |
| | AL | Grey Bat & Indiana Bat | Punturevine | <i>Tribulus terrestris</i> | vine | O | | |
| | AL | Grey Bat & Indiana Bat | Coatbuttons, Fridax Daisy | <i>Tridax procumbens</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Coltsfoot | <i>Tussilago farfara</i> | forb | | | |
| | AL | Grey Bat & Indiana Bat | Panic Liverseed Grass | <i>Urochloa panicoides</i> | grass | O,W | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------------|-------------------------|------------------------------------|-------|---------|--------|---------------|
| | AZ | Desert Tortoise | Punagrass | <i>Achnatherum brachychaetum</i> | grass | | | |
| | AZ | Desert Tortoise | Jointed Goatgrass | <i>Aegilops cylindrica</i> | grass | O | | |
| | AZ | Desert Tortoise | Camelthorn | <i>Alhagi maurorum</i> | forb | O | | |
| | AZ | Desert Tortoise | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | |
| | AZ | Desert Tortoise | Lens Podded Hoary Cress | <i>Cardaria chalepensis</i> | forb | O | | |
| | AZ | Desert Tortoise | Hoary Cress | <i>Cardaria draba</i> | forb | O | | |
| | AZ | Desert Tortoise | Hairy Whitetop | <i>Cardaria pubescens</i> | forb | O | | |
| | AZ | Desert Tortoise | Cardaria complex | <i>Cardaria spp.</i> | forb | O | | |
| | AZ | Desert Tortoise | Plumeless Thistle | <i>Carduus acanthoides</i> | forb | O | | |
| | AZ | Desert Tortoise | Purple Starthistle | <i>Centaurea iderica</i> | forb | O | | |
| | AZ | Desert Tortoise | Spotted Knapweed | <i>Centaurea maculosa</i> | forb | O | | |
| | AZ | Desert Tortoise | Russian Knapweed | <i>Centaurea repens</i> | forb | O | | |
| | AZ | Desert Tortoise | Yellow Starthistle | <i>Centaurea solstitialis</i> | forb | O | | |
| | AZ | Desert Tortoise | Sicilian Starthistle | <i>Centaurea sulphurea</i> | forb | O | | |
| | AZ | Desert Tortoise | Squarrose Knapweed | <i>Chondrilla juncea</i> | forb | O | | |
| | AZ | Desert Tortoise | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | |
| | AZ | Desert Tortoise | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | AZ | Desert Tortoise | Creeping Wartcress | <i>Coronopus squamatus</i> | forb | | | |
| | AZ | Desert Tortoise | Dudaim Melon | <i>Cucumis melo</i> | vine | | | |
| | AZ | Desert Tortoise | Dodder | <i>Curculia spp.</i> | forb | O,W | | |
| | AZ | Desert Tortoise | Sandy Drymaria | <i>Drymaria arenarioides</i> | forb | | | |
| | AZ | Desert Tortoise | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | |
| | AZ | Desert Tortoise | Peacock Hyacinth | <i>Eichhornia azurea</i> | | | | |
| | AZ | Desert Tortoise | Quackgrass | <i>Elytrigia repens</i> | grass | O | | |
| | AZ | Desert Tortoise | Leafy Spurge | <i>Euphorbia esula</i> | forb | O | | |
| | AZ | Desert Tortoise | Halogeton | <i>Halogeton gomeratus</i> | forb | O | | |
| | AZ | Desert Tortoise | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|-----------------------|--------------------------------|--------|---------|--------|---------------|
| | AZ | Desert Tortoise | Morningglory | <i>Ipomoea spp.</i> | vine | O | | |
| | AZ | Desert Tortoise | Dyer's Woad | <i>Isatis tinctoria</i> | forb | O | | |
| | AZ | Desert Tortoise | Dalmatian Toadflax | <i>Linaria dalmatica</i> | forb | O,F | | |
| | AZ | Desert Tortoise | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | |
| | AZ | Desert Tortoise | Burclover | <i>Medicago polymorpha</i> | vine | | | |
| | AZ | Desert Tortoise | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | AZ | Desert Tortoise | Serrated Tussock | <i>Nassella trichotoma</i> | grass | | | |
| | AZ | Desert Tortoise | Scotch Thistle | <i>Onopordum acanthium</i> | forb | O | | |
| | AZ | Desert Tortoise | Branched Broomrape | <i>Orobanche ramosa</i> | forb | O | | |
| | AZ | Desert Tortoise | African Rue | <i>Peganum harmala</i> | forb | O | | |
| | AZ | Desert Tortoise | Kikuyugrass | <i>Pennisetum clandestinum</i> | grass | | | |
| | AZ | Desert Tortoise | Common Purslane | <i>Portulaca oleracea</i> | forb | O,W | | |
| | AZ | Desert Tortoise | Austrian Fieldcress | <i>Rorippa austriaca</i> | forb | O,W | | |
| | AZ | Desert Tortoise | Tansy Ragwort | <i>Senecio jacobaea</i> | forb | O | | |
| | AZ | Desert Tortoise | Perennial Sowthistle | <i>Sonchus arvensis</i> | forb | O | | |
| | AZ | Desert Tortoise | Witchweed | <i>Striga spp.</i> | forb | | | |
| | AZ | Desert Tortoise | Water Chestnut | <i>Trapa natans</i> | forb | W | | |
| | AZ | Desert Tortoise | Puncturevine | <i>Tribulus terrestris</i> | vine | O | | |
| | CA | Desert Tortoise | Brown Headed Cowbird | <i>Molothrus ater</i> | forb | O,F | | |
| | FL | Red-cockaded Woodpecker | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | FL | Red-cockaded Woodpecker | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | GA | Red-cockaded Woodpecker | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| | GA | Red-cockaded Woodpecker | Congongrass | <i>Imperata cylindrica</i> | grass | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------------|-------------------------|-----------------------|-----------------------------|--------|---------|--------|---------------|
| | GA | Red-cockaded Woodpecker | Tall Fescue | <i>Lolium arundinaceum</i> | grass | O | | |
| | GA | Red-cockaded Woodpecker | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | GA | Red-cockaded Woodpecker | Sacred Bamboo | <i>Nandina domestica</i> | forb | F,A | | |
| | GA | Red-cockaded Woodpecker | Torpedograss | <i>Panicum repens</i> | grass | O,W | | |
| | GA | Red-cockaded Woodpecker | Golden Bamboo | <i>Phyllostachys aurea</i> | grass | O | | |
| | GA | Red-cockaded Woodpecker | Giant salvinia | <i>Salvinia biloba</i> | forb | A | | |
| | GA | Red-cockaded Woodpecker | Giant salvinia | <i>Salvinia herzogii</i> | forb | A | | |
| | GA | Red-cockaded Woodpecker | Kariba-Weed | <i>Salvinia molesta</i> | forb | A | | |
| | GA | Red-cockaded Woodpecker | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | |
| | GA | Red-cockaded Woodpecker | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| IA | Indiana Bat | Velvetleaf | | <i>Abutilon theophrasti</i> | forb | | | |
| IA | Indiana Bat | Hoary Cress | | <i>Cardaria draba</i> | forb | O | | |
| IA | Indiana Bat | Cardaria complex | | <i>Cardaria spp.</i> | forb | O | | |
| IA | Indiana Bat | Plumeless Thistle | | <i>Carduus acanthoides</i> | forb | O | | |
| IA | Indiana Bat | Nodding Thistle | | <i>Carduus spp.</i> | forb | O | | |
| IA | Indiana Bat | Russian Knapweed | | <i>Centaura repens</i> | forb | O | | |
| IA | Indiana Bat | Canada Thistle | | <i>Cirsium arvense</i> | forb | O | | |
| IA | Indiana Bat | Bull Thistle | | <i>Cirsium arvense</i> | forb | O | | |
| IA | Indiana Bat | Poison Hemlock | | <i>Conium maculatum</i> | forb | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------|----------------------|-----------------------------------|-------|---------|--------|---------------|
| | IA | Indiana Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | IA | Indiana Bat | Wild Carrot | <i>Daucus carota</i> | forb | O | | |
| | IA | Indiana Bat | Common Teasel | <i>Dipsacus fullonum</i> | forb | O | | |
| | IA | Indiana Bat | Quackgrass | <i>Elytrigia repens</i> | grass | O | | |
| | IA | Indiana Bat | Leafy Spurge | <i>Euphorbia esula</i> | forb | O | | |
| | IA | Indiana Bat | Wild Sunflower | <i>Helianthus annuus</i> | forb | O | | |
| | IA | Indiana Bat | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | |
| | IA | Indiana Bat | Wandlike Loosestrife | <i>Lythrum virgatum</i> | forb | O | | |
| | IA | Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | IA | Indiana Bat | English Plantain | <i>Plantago lanceolata</i> | forb | | | |
| | IA | Indiana Bat | European Buckthorn | <i>Rhamnus cathartica</i> | tree | O,F | | |
| | IA | Indiana Bat | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | |
| | IA | Indiana Bat | Sorrel | <i>Rumex acetosella</i> | forb | O | | |
| | IA | Indiana Bat | Smooth Dock | <i>Rumex altissimus</i> | forb | O,W | | |
| | IA | Indiana Bat | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | |
| | IA | Indiana Bat | Charlock | <i>Sinapis arvensis</i> | forb | O | | |
| | IA | Indiana Bat | Perennial Sowthistle | <i>Sonchus arvensis</i> | forb | O | | |
| | IA | Indiana Bat | Shattercane | <i>Sorghum bicolor</i> | grass | O | | |
| | IA | Indiana Bat | Puncturevine | <i>Tribulus terrestris</i> | vine | O | | |
| | IA | Indiana Bat | Cocklebur | <i>Xanthium strumarium</i> | forb | O | | |
| | IN | Indiana Bat | Corncockle | <i>Agrostemma githago</i> | forb | O | | |
| | IN | Indiana Bat | Wild Onion | <i>Allium canadense</i> | forb | O | | |
| | IN | Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | |
| | IN | Indiana Bat | Russian Knapweed | <i>Centaurea repens</i> | forb | O | | |
| | IN | Indiana Bat | Oxeye Daisy | <i>Chrysanthemum leucanthemum</i> | forb | | | |
| | IN | Indiana Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | IN | Indiana Bat | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|--------------------------|------------------------------|-------|---------|--------|---------------|
| | IN | Indiana Bat | Quakgrass | <i>Elytrigia repens</i> | grass | O | | |
| | IN | Indiana Bat | Perennial Pepperweed | <i>Lepidium latifolium</i> | forb | O,W | | |
| | IN | Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | IN | Indiana Bat | Buckhorn Plantain | <i>Plantago lanceolata</i> | forb | | | |
| | IN | Indiana Bat | sour dock | <i>Rumex crispus</i> | forb | O,W | | |
| | IN | Indiana Bat | giant foxtail | <i>Setaria faberi</i> | grass | O,W | | |
| | IN | Indiana Bat | bur cucumber | <i>Sicyos angulatus</i> | vine | | | |
| | IN | Indiana Bat | charlock | <i>Sinapis arvensis</i> | forb | O | | |
| | IN | Indiana Bat | Eastern black nightshade | <i>Solanum ptycanthum</i> | | | | |
| | IN | Indiana Bat | perennial sowthistle | <i>Sonchus arvensis</i> | forb | O | | |
| | IN | Indiana Bat | sorghum-almum | <i>Sorghum almum</i> | grass | O | | |
| | IN | Indiana Bat | shattercane | <i>Sorghum bicolor</i> | grass | O | | |
| | IN | Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | IN | Indiana Bat | Cocklebur | <i>Xanthium strumarium</i> | forb | O | | |
| | KY | Gray Bat & Indiana Bat | Oriental Bittersweet | <i>Celastrus Orbiculatus</i> | vine | O,F | | |
| | KY | Gray Bat & Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | LA | Red Cockaded Woodpecker | Corncockle | <i>Agrostemma githago</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | |
| | LA | Red Cockaded Woodpecker | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | |
| | LA | Red Cockaded Woodpecker | Wild Onion | <i>Allium asculonicum</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Coral Ardisia | <i>Ardisia crenata</i> | forb | F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|---------------------|----------------------------------|-------|---------|--------|---------------|
| | LA | Red Cockaded Woodpecker | Wild Mustards | <i>Brassica spp.</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Cheat | <i>Bromus secalinus</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Paper Mulberry | <i>Broussonetia papyrifera</i> | tree | | | |
| | LA | Red Cockaded Woodpecker | Hedge Bindweed | <i>Calystegia sepium</i> | vine | O | | |
| | LA | Red Cockaded Woodpecker | Mexican Weed | <i>Caperonia castaneifolia</i> | forb | | | |
| | LA | Red Cockaded Woodpecker | Balloonnvine | <i>Cardiospermum halicacabum</i> | vine | | | |
| | LA | Red Cockaded Woodpecker | Russian Knapweed | <i>Centaura repens</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | LA | Red Cockaded Woodpecker | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | |
| | LA | Red Cockaded Woodpecker | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Yellow Nutsedge | <i>Cyperus esculentus</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Brazilian waterweed | <i>Egeria densa</i> | forb | A | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|------------------------|-------------------------------|-------|---------|--------|---------------|
| | LA | Red Cockaded Woodpecker | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | |
| | LA | Red Cockaded Woodpecker | Quackgrass | <i>Elytrigia repens</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Toothed Spurge | <i>Euphorbia dentata</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Chinese parasol tree | <i>Firmania simplex</i> | tree | | | |
| | LA | Red Cockaded Woodpecker | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | |
| | LA | Red Cockaded Woodpecker | Congongrass | <i>Imperata cylindrica</i> | grass | O,F | | |
| | LA | Red Cockaded Woodpecker | Morningglory | <i>Ipomoea spp.</i> | vine | O | | |
| | LA | Red Cockaded Woodpecker | Purple Moonflower | <i>Ipomoea turbinata</i> | vine | O | | |
| | LA | Red Cockaded Woodpecker | Japanese privet | <i>Ligustrum japonicum</i> | forb | O,F | | |
| | LA | Red Cockaded Woodpecker | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | | |
| | LA | Red Cockaded Woodpecker | Poison Ryegrass | <i>Lolium temulentum</i> | grass | | | |
| | LA | Red Cockaded Woodpecker | Japanese honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | |
| | LA | Red Cockaded Woodpecker | Japanese climbing forb | <i>Lygodium japonicum</i> | forb | F | | |
| | LA | Red Cockaded Woodpecker | Catclaw vine | <i>Macfadyena unguis-cati</i> | vine | O | | |
| | LA | Red Cockaded Woodpecker | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|-----------------------|------------------------------------|--------|---------|--------|---------------|
| | LA | Red Cockaded Woodpecker | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | LA | Red Cockaded Woodpecker | Red Rice | <i>Oryza sativa</i> | grass | | | |
| | LA | Red Cockaded Woodpecker | Bracted Plantain | <i>Plantago aristata</i> | forb | | | |
| | LA | Red Cockaded Woodpecker | English Plantain | <i>Plantago lanceolata</i> | forb | | | |
| | LA | Red Cockaded Woodpecker | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | |
| | LA | Red Cockaded Woodpecker | Spearhead | <i>Rhynchospora spp.</i> | grass | O,W | | |
| | LA | Red Cockaded Woodpecker | Alligatorweed | <i>rnanthera philoxeroides</i> | forb | W,A | | |
| | LA | Red Cockaded Woodpecker | Itchgrass | <i>Rottboellia cochinchinensis</i> | grass | | | |
| | LA | Red Cockaded Woodpecker | Itchgrass | <i>Rottboellia exaltata</i> | grass | | | |
| | LA | Red Cockaded Woodpecker | Sorrel | <i>Rumex acetosella</i> | forb | O | | |
| | LA | Red Cockaded Woodpecker | Dock | <i>Rumex spp.</i> | forb | O,W | | |
| | LA | Red Cockaded Woodpecker | Giant salvinia | <i>Salvinia auriculata</i> | forb | A | | |
| | LA | Red Cockaded Woodpecker | Coffeebean | <i>Sesbania exaltata</i> | forb | | | |
| | LA | Red Cockaded Woodpecker | Silverleaf Nightshade | <i>Solanum elaeagnifolium</i> | forb | | | |
| | LA | Red Cockaded Woodpecker | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|-----------------------|-------------------------------|-------|---------|--------|---------------|
| | LA | Red Cockaded Woodpecker | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | LA | Red Cockaded Woodpecker | Chinese tallow tree | <i>Triadica sebiferum</i> | tree | O,F | | |
| | LA | Red Cockaded Woodpecker | Cocklebur | <i>Xanthium spp.</i> | forb | O | | |
| | MO | Gray Bat & Indiana Bat | Mimosa | <i>Albizia julibrissin</i> | tree | O,F | | |
| | MO | Gray Bat & Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | |
| | MO | Gray Bat & Indiana Bat | Eurasian Bluestem | <i>Bothriochloa bladhii</i> | grass | O | | |
| | MO | Gray Bat & Indiana Bat | Oriental bittersweet | <i>Celastrus orbiculatus</i> | vine | O,F | | |
| | MO | Gray Bat & Indiana Bat | Spotted Knapweed | <i>Centaurea stoebe</i> | forb | O | | |
| | MO | Gray Bat & Indiana Bat | Barnyardgrass | <i>Echinochloa crus-galli</i> | grass | O | | |
| | MO | Gray Bat & Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | |
| | MO | Gray Bat & Indiana Bat | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| | MO | Gray Bat & Indiana Bat | Border Privet | <i>Ligustrum obtusifolium</i> | forb | O | | |
| | MO | Gray Bat & Indiana Bat | Chinese privet | <i>Ligustrum sinense</i> | forb | F,W | | |
| | MO | Gray Bat & Indiana Bat | Bush Honeysuckle | <i>Lonicera maackii</i> | forb | O,F | | |
| | MO | Gray Bat & Indiana Bat | White Sweetclover | <i>Melilotus alba</i> | forb | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|----------|------------------------|-------------------------|------------------------------------|-------|---------|--------|---------------|
| | MO | Gray Bat & Indiana Bat | Zebra Grass | <i>Miscanthus sinensis</i> | grass | O | | |
| | MO | Gray Bat & Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | MO | Gray Bat & Indiana Bat | Eurasian Water Milfoil | <i>Myriophyllum spicatum</i> | forb | A | | |
| | MO | Gray Bat & Indiana Bat | Slender Russian Thistle | <i>Salsola collina</i> | forb | O | | |
| | MO | Gray Bat & Indiana Bat | Hedge-parsley | <i>Torilis arvensis</i> | forb | | | |
| MS | GT & RCW | Corncockle | | <i>Agrostemma githago</i> | forb | O | | |
| MS | GT & RCW | Wild Onion | | <i>Allium sp.</i> | forb | O | | |
| MS | GT & RCW | Alligatorweed | | <i>Alternanthera philoxeroides</i> | forb | W,A | | |
| MS | GT & RCW | Wild Mustards | | <i>Brassica spp.</i> | forb | O | | |
| MS | GT & RCW | Cheat | | <i>Bromus secalinus</i> | grass | O | | |
| MS | GT & RCW | Hedge Bindweed | | <i>Calystegia sepium</i> | vine | O | | |
| MS | GT & RCW | Balloonvine | | <i>Cardiospermum halicacabum</i> | vine | | | |
| MS | GT & RCW | Canada thistle | | <i>Cirsium arvense</i> | forb | O | | |
| MS | GT & RCW | Blessed Thistle | | <i>Cnicus benedictus</i> | forb | | | |
| MS | GT & RCW | Field Bindweed | | <i>Convolvulus arvensis</i> | vine | O | | |
| MS | GT & RCW | Crotalaria | | <i>Crotalaria spp.</i> | forb | | | |
| MS | GT & RCW | Dodder | | <i>Cuscuta spp.</i> | forb | O,W | | |
| MS | GT & RCW | Bermudagrass | | <i>Cynodon spp.</i> | grass | O | | |
| MS | GT & RCW | Yellow Nutsedge | | <i>Cyperus esculentus</i> | grass | O | | |
| MS | GT & RCW | Purple Nutsedge | | <i>Cyperus rotundus</i> | grass | O | | |
| MS | GT & RCW | Common Water Hyacinth | | <i>Eichhornia crassipes</i> | forb | A | | |
| MS | GT & RCW | Quackgrass | | <i>Elytrigia repens</i> | grass | O | | |
| MS | GT & RCW | Cogongrass | | <i>Imperata cylindrica</i> | grass | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|-----------------------|------------------------------------|--------|---------|--------|---------------|
| | MS | GT & RCW | Morningglory | <i>Ipomoea spp.</i> | vine | O | | |
| | MS | GT & RCW | Purple Moonflower | <i>Ipomoea turbinata</i> | vine | O | | |
| | MS | GT & RCW | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | |
| | MS | GT & RCW | poison ryegrass | <i>Lolium temulentum</i> | grass | | | |
| | MS | GT & RCW | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | |
| | MS | GT & RCW | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | |
| | MS | GT & RCW | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | MS | GT & RCW | Serrated Tussock | <i>Nassella trichotoma</i> | grass | | | |
| | MS | GT & RCW | Red rice | <i>Oryza spp.</i> | grass | | | |
| | MS | GT & RCW | plantain | <i>Plantago spp.</i> | forb | | | |
| | MS | GT & RCW | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | |
| | MS | GT & RCW | Wild Radish | <i>Raphanus raphanistrum</i> | forb | | | |
| | MS | GT & RCW | Dock | <i>Rumex spp.</i> | forb | O,W | | |
| | MS | GT & RCW | Chinese Tallow Tree | <i>Sapium sebiferum</i> | tree | O,F | | |
| | MS | GT & RCW | Coffeeweed | <i>Senna obtusifolia</i> | forb | | | |
| | MS | GT & RCW | Foxtail | <i>Setaria spp.</i> | grass | | | |
| | MS | GT & RCW | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | |
| | MS | GT & RCW | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | MS | GT & RCW | Sorghum-Almum | <i>Sorghum almum</i> | grass | O | | |
| | MS | GT & RCW | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | MS | GT & RCW | Cocklebur | <i>Xanthium spp.</i> | forb | O | | |
| | NC | Red Cockaded Woodpecker | Water Velvet | <i>Azolla pinnata</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Wild Safflower | <i>Carthamus oxyacantha</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Caulerpa | <i>Caulerpa taxifolia</i> | forb | A | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|------------------------|-------------------------------|-------|---------|--------|---------------|
| | NC | Red Cockaded Woodpecker | Swamp Stonecrop | <i>Crassula helmsii</i> | frob | | | |
| | NC | Red Cockaded Woodpecker | Sandwort Drymary | <i>Drymaria arenariooides</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| | NC | Red Cockaded Woodpecker | Waterthyme | <i>Hydrilla verticillata</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | Oxygen Weed | <i>Lagarosiphon major</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | Asian Sprangletop | <i>Leptochloa chinensis</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | African Boxthorn | <i>Lycium ferocissimum</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Mile-a-Minute | <i>Mikania cordata</i> | vine | O,F,W | | |
| | NC | Red Cockaded Woodpecker | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | NC | Red Cockaded Woodpecker | Monochoria | <i>Monochoria hastata</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | European Waterfoil | <i>Myriophyllum spicatum</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | Serrated Tussock Grass | <i>Nassella trichotoma</i> | grass | | | |
| | NC | Red Cockaded Woodpecker | Jointed Prickly Pear | <i>Opuntia aurantiaca</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Branched Broomrape | <i>Orobanche ramosa</i> | forb | O | | |
| | NC | Red Cockaded Woodpecker | Red Rice | <i>Oryza longistaminata</i> | grass | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|-------------------------|------------------------------------|--------|---------|--------|---------------|
| | NC | Red Cockaded Woodpecker | Red Rice | <i>Oryza punctata</i> | grass | | | |
| | NC | Red Cockaded Woodpecker | Itchgrass | <i>Rottboellia cochinchinensis</i> | grass | | | |
| | NC | Red Cockaded Woodpecker | forbby Blackberry | <i>Rubus fruticosus</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Ellkek | <i>Rubus moluccanus</i> | forb | | | |
| | NC | Red Cockaded Woodpecker | Arrowhead | <i>Sagittaria sagittifolia</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | forbby Russian Thistle | <i>Salsola vermiculata</i> | forb | O | | |
| | NC | Red Cockaded Woodpecker | Giant Salvinia | <i>Salvinia biloba</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | Giant Salvinia | <i>Salvinia herzogii</i> | forb | A | | |
| | NC | Red Cockaded Woodpecker | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | |
| | NC | Red Cockaded Woodpecker | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | NC | Red Cockaded Woodpecker | Winged False Buttonweed | <i>Spermacoce alata</i> | forb | | | |
| | NJ | Indiana Bat | Corncockle | <i>Agrostemma githago</i> | forb | O | | |
| | NJ | Indiana Bat | Bentgrass | <i>Agrostis spp.</i> | grass | O | | |
| | NJ | Indiana Bat | Wild Onion | <i>Allium canadense</i> | forb | O | | |
| | NJ | Indiana Bat | Wild Garlic | <i>Allium vineale</i> | forb | O | | |
| | NJ | Indiana Bat | Giant Ragweed | <i>Ambrosia trifida</i> | forb | O | | |
| | NJ | Indiana Bat | Spurred Anoda | <i>Anoda cristat</i> | forb | | | |
| | NJ | Indiana Bat | Cheat | <i>Bromus secalinus</i> | grass | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------------|----------------------|-----------------------------|-------|---------|--------|---------------|
| | NJ | Indiana Bat | Hedge Bindweed | <i>Calystegia sepium</i> | vine | O | | |
| | NJ | Indiana Bat | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | |
| | NJ | Indiana Bat | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | NJ | Indiana Bat | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | |
| | NJ | Indiana Bat | Bermudagrass | <i>Cynodon spp.</i> | grass | O | | |
| | NJ | Indiana Bat | Orchardgrass | <i>Dactylis glomerata</i> | grass | | | |
| | NJ | Indiana Bat | Quackgrass | <i>Elytrigia repens</i> | grass | O | | |
| | NJ | Indiana Bat | Tall Fescue | <i>Festuca arundinacea</i> | grass | O,F,W | | |
| | NJ | Indiana Bat | Meadow Fescue | <i>Festuca pratensis</i> | grass | O | | |
| | NJ | Indiana Bat | Velvetgrass | <i>Holcus lanatus</i> | grass | O | | |
| | NJ | Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | NJ | Indiana Bat | Timothy | <i>Phleum pratense</i> | grass | | | |
| | NJ | Indiana Bat | Annual Bluegrass | <i>Poa annua</i> | grass | | | |
| | NJ | Indiana Bat | Rough Bluegrass | <i>Poa trivialis</i> | grass | | | |
| | NJ | Indiana Bat | Bur Cucumber | <i>Sicyos angulatus</i> | vine | | | |
| | NJ | Indiana Bat | Sorghum-Almum | <i>Sorghum almum</i> | grass | O | | |
| | NJ | Indiana Bat | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | NJ | Indiana Bat | Sorghum | <i>Sorghum spp.</i> | grass | O | | |
| | NV | Desert Tortoise | Russian Knapweed | <i>Acroptilon repens</i> | forb | O | | |
| | NV | Desert Tortoise | Camelthorn | <i>Alhagi camelorum</i> | forb | O | | |
| | NV | Desert Tortoise | Mayweed Chamomile | <i>Anthemis cotula</i> | forb | O | | |
| | NV | Desert Tortoise | Hoary Cress | <i>Cardaria draba</i> | forb | O | | |
| | NV | Desert Tortoise | Musk Thistle | <i>Carduus nutans</i> | forb | O | | |
| | NV | Desert Tortoise | Purple Starthistle | <i>Centaurea calcitrapa</i> | forb | O | | |
| | NV | Desert Tortoise | Diffuse Knapweed | <i>Centaurea diffusa</i> | forb | O | | |
| | NV | Desert Tortoise | Iberian Starthistle | <i>Centaurea iberica</i> | forb | O | | |
| | NV | Desert Tortoise | Spotted Knapweed | <i>Centaurea maculosa</i> | forb | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------------|------------------------|--------------------------------------|-------|---------|--------|---------------|
| | NV | Desert Tortoise | Malta Starthistle | <i>Centaurea melitensis</i> | forb | O | | |
| | NV | Desert Tortoise | Squarrose Knapweed | <i>Centaurea virgata</i> | forb | O | | |
| | NV | Desert Tortoise | Squarrose Knapweed | <i>Chondrilla juncea</i> | forb | O | | |
| | NV | Desert Tortoise | Water Hemlock | <i>Cicuta maculata</i> | forb | O,W | | |
| | NV | Desert Tortoise | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | |
| | NV | Desert Tortoise | Poison Hemlock | <i>Conium maculatum</i> | forb | O,F | | |
| | NV | Desert Tortoise | Common Crupina | <i>Crupina vulgaris</i> | forb | O,F | | |
| | NV | Desert Tortoise | Houndstongue | <i>Cynoglossum officinale</i> | forb | O | | |
| | NV | Desert Tortoise | Leafy spurge | <i>Euphorbia esula</i> | forb | O | | |
| | NV | Desert Tortoise | Goats Rue | <i>Galega officinalis</i> | forb | O | | |
| | NV | Desert Tortoise | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | |
| | NV | Desert Tortoise | Black henbane | <i>Hyoscyamus niger</i> | forb | O | | |
| | NV | Desert Tortoise | Klamath weed | <i>Hypericum perforatum</i> | forb | O | | |
| | NV | Desert Tortoise | Dyer's woad | <i>Isatis tinctoria</i> | forb | O | | |
| | NV | Desert Tortoise | Perennial Pepperweed | <i>Lepidium latifolium</i> | forb | O,W | | |
| | NV | Desert Tortoise | Dalmation Toadflax | <i>Linaria dalmatica</i> | forb | O,F | | |
| | NV | Desert Tortoise | Yellow Toadflax | <i>Linaria vulgaris</i> | forb | O,F | | |
| | NV | Desert Tortoise | Purple loosestrife | <i>Lythrum salicaria, L.virgatum</i> | forb | O,F,W | | |
| | NV | Desert Tortoise | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | NV | Desert Tortoise | Eurasian water-milfoil | <i>Myriophyllum spicatum</i> | forb | A | | |
| | NV | Desert Tortoise | Scotch Thistle | <i>Onopordum acanthium</i> | forb | O | | |
| | NV | Desert Tortoise | Green Fountain grass | <i>Pennisetum setaceum</i> | grass | O | | |
| | NV | Desert Tortoise | Sulphur Cinquefoil | <i>Potentilla recta</i> | forb | O | | |
| | NV | Desert Tortoise | Austrian fieldcress | <i>Rorippa austriaca</i> | forb | O,W | | |
| | NV | Desert Tortoise | Mediterranean sage | <i>Salvia aethiops</i> | forb | O | | |
| | NV | Desert Tortoise | Kariba-Weed | <i>Salvinia molesta</i> | forb | A | | |
| | NV | Desert Tortoise | Perennial Sowthistle | <i>Sonchus arvensis</i> | forb | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------------|------------------------|-------------------------------------|-------|---------|--------|---------------|
| | NV | Desert Tortoise | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | NV | Desert Tortoise | Austrian peaweed | <i>Sphaerophysa salsula</i> | forb | O | | |
| | NV | Desert Tortoise | Medusahead | <i>Taeniatherum caput-medusae</i> | Grass | O | | |
| | NV | Desert Tortoise | Tamarisk | <i>Tamarix ramosissima</i> | forb | O,W | | |
| | NV | Desert Tortoise | Puncturevine | <i>Tribulus terrestris</i> | vine | O | | |
| | NV | Desert Tortoise | Syrian Bean Caper | <i>Zygophyllum fabago</i> | forb | O | | |
| | NY | Indiana Bat | Norway Maple | <i>Acer platanoides L.</i> | tree | F | | |
| | NY | Indiana Bat | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | |
| | NY | Indiana Bat | Porcelain Berry | <i>Ampelopsis brevipedunculata</i> | vine | O,W | | |
| | NY | Indiana Bat | Japanese Barberry | <i>Berberis thunbergii</i> | forb | F | | |
| | NY | Indiana Bat | Oriental Bittersweet | <i>Celastrus orbiculatus</i> | vine | O,F | | |
| | NY | Indiana Bat | Spotted Knopweed | <i>Centaurea maculosa</i> | forb | O | | |
| | NY | Indiana Bat | Black Swallow Wort | <i>Cynanchum nigrum, C.rossicum</i> | forb | O | | |
| | NY | Indiana Bat | Russian Olive | <i>Elaeagnus angustifolia</i> | forb | O | | |
| | NY | Indiana Bat | Autumn Olive | <i>Elaeagnus umbellata</i> | forb | O | | |
| | NY | Indiana Bat | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | |
| | NY | Indiana Bat | Morrow's Honeysuckle | <i>Lonicera morrowii</i> | forb | O,F | | |
| | NY | Indiana Bat | Tartarian Honeysuckle | <i>Lonicera tatarica</i> | forb | O,F | | |
| | NY | Indiana Bat | Purple Loosestrife | <i>Lythrum salicaria</i> | forb | O,F,W | | |
| | NY | Indiana Bat | Japanese stilt grass | <i>Microstegium vimineum</i> | grass | O,F | | |
| | NY | Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | NY | Indiana Bat | Eurasian Water Milfoil | <i>Myriophyllum spicatum</i> | forb | A | | |
| | NY | Indiana Bat | Common Reed | <i>Phragmites australis</i> | grass | W | | |
| | NY | Indiana Bat | Japanese knotweed | <i>Polygonum cuspidatum</i> | forb | O | | |
| | NY | Indiana Bat | Curlyleaf Pondweed | <i>Potamogeton crispus</i> | forb | A | | |
| | NY | Indiana Bat | Common Buckthorn | <i>Rhamnus cathartica</i> | forb | O,F | | |
| | NY | Indiana Bat | Black locust | <i>Robinia pseudoacacia L.</i> | tree | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|--------------------|-------------------|----------------------------------|-------|---------|--------|---------------|
| | NY | Indiana Bat | Multiflora rose | <i>Rosa multiflora</i> | forb | O | | |
| | NY | Indiana Bat | Water Chestnust | <i>Trapa natans</i> | forb | W | | |
| | OK | Black-capped Vireo | Jointed Goatgrass | <i>Aegilops cylindrica</i> | grass | O | | |
| | OK | Black-capped Vireo | Corncockle | <i>Agrostemma githago</i> | forb | O | | |
| | OK | Black-capped Vireo | Wild Onion | <i>Allium sp.</i> | forb | O | | |
| | OK | Black-capped Vireo | Wild Oat | <i>Avena fatua</i> | grass | O | | |
| | OK | Black-capped Vireo | Wild Oat | <i>Avena fatua</i> | grass | O | | |
| | OK | Black-capped Vireo | Animated Oat | <i>Avena sterilis</i> | grass | | | |
| | OK | Black-capped Vireo | Wild Mustards | <i>Brassica spp.</i> | forb | O | | |
| | OK | Black-capped Vireo | Cheat | <i>Bromus secalinus</i> | grass | O | | |
| | OK | Black-capped Vireo | Moonflower | <i>Calonyction muricatum</i> | vine | | | |
| | OK | Black-capped Vireo | Hedge Bindweed | <i>Calystegia sepium</i> | vine | O | | |
| | OK | Black-capped Vireo | Hoary Cress | <i>Cardaria draba</i> | forb | O | | |
| | OK | Black-capped Vireo | Cardaria complex | <i>Cardaria spp.</i> | forb | O | | |
| | OK | Black-capped Vireo | Balloonvine | <i>Cardiospermum halicacabum</i> | vine | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|--------------------|----------------------|------------------------------|-------|---------|--------|---------------|
| | OK | Black-capped Vireo | Musk Thistle | <i>Carduus nutans</i> | forb | O | | |
| | OK | Black-capped Vireo | Russian Knapweed | <i>Centaura repens</i> | forb | O | | |
| | OK | Black-capped Vireo | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | |
| | OK | Black-capped Vireo | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | OK | Black-capped Vireo | Dodder | <i>Cuscuta spp.</i> | forb | O,W | | |
| | OK | Black-capped Vireo | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | |
| | OK | Black-capped Vireo | False Daisy | <i>Eclipta prostrata</i> | forb | | | |
| | OK | Black-capped Vireo | Quackgrass | <i>Elytrigia repens</i> | grass | O | | |
| | OK | Black-capped Vireo | Red Norn Poppy | <i>Glaucium corniculatum</i> | forb | | | |
| | OK | Black-capped Vireo | Morningglory | <i>Ipomoea spp.</i> | vine | O | | |
| | OK | Black-capped Vireo | Poison Ryegrass | <i>Lolium temulentum</i> | grass | | | |
| | OK | Black-capped Vireo | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | OK | Black-capped Vireo | Serrated Tussock | <i>Nassella trichotoma</i> | grass | | | |
| | OK | Black-capped Vireo | Bracted Plantain | <i>Plantago aristata</i> | forb | | | |
| | OK | Black-capped Vireo | English Plantain | <i>Plantago lanceolata</i> | forb | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|-------------------------|-------------------------------|-------|---------|--------|---------------|
| | OK | Black-capped Vireo | Oriental Ladysthumb | <i>Polygonum convolvulus</i> | forb | O,W | | |
| | OK | Black-capped Vireo | Sorrel | <i>Rumex acetosella</i> | forb | O | | |
| | OK | Black-capped Vireo | Dock | <i>Rumex spp.</i> | forb | O,W | | |
| | OK | Black-capped Vireo | Coffeeweed | <i>Senna obtusifolia</i> | forb | | | |
| | OK | Black-capped Vireo | Giant Foxtail | <i>Setaria faberi</i> | grass | O,W | | |
| | OK | Black-capped Vireo | Silverleaf Nightshade | <i>Solanum elaeagnifolium</i> | forb | | | |
| | OK | Black-capped Vireo | Sorghum-Almum | <i>Sorghum almum</i> | grass | O | | |
| | OK | Black-capped Vireo | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | OK | Black-capped Vireo | Cocklebur | <i>Xanthium spp.</i> | forb | O | | |
| | SC | Red-cockaded Woodpecker | Aeginetia | <i>Aeginetia spp.</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Curly Indigo | <i>Aeschynomene virginica</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Water Velvet | <i>Azolla pinnata</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Moonflower | <i>Calonyction muricatum</i> | vine | | | |
| | SC | Red-cockaded Woodpecker | Jeweled Distaff Thistle | <i>Carthamus oxyacantha</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Caulerpa | <i>Caulerpa taxifolia</i> | forb | A | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|--------------------------|--------------------------------|-------|---------|--------|---------------|
| | SC | Red-cockaded Woodpecker | Sandy Drymaria | <i>Drymaria arenarioides</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Purple Winter Creeper | <i>Euonymus fortunei</i> | vine | F | | |
| | SC | Red-cockaded Woodpecker | Tall Fescue | <i>Festuca arundinacea</i> | grass | O,F,W | | |
| | SC | Red-cockaded Woodpecker | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Brazilian satintail | <i>Imperata brasiliensis</i> | grass | | | |
| | SC | Red-cockaded Woodpecker | Cogongrass | <i>Imperata cylindrica</i> | grass | O,F | | |
| | SC | Red-cockaded Woodpecker | Oxygen Weed | <i>Lagarosiphon major</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Asian sprangletop | <i>Leptochloa chinensis</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Asian marshweed, ambulia | <i>Limnophila sessiliflora</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Darnel ryegrass | <i>Lolium temulentum</i> | grass | | | |
| | SC | Red-cockaded Woodpecker | African boxthorn | <i>Lycium ferocissimum</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Heartleaf Hempvine | <i>Mikania cordata</i> | vine | O,F,W | | |
| | SC | Red-cockaded Woodpecker | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | SC | Red-cockaded Woodpecker | Monochoria | <i>Monochoria hastata</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Eurasian Water Milfoil | <i>Myriophyllum spicatum</i> | forb | A | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-------------------------|---------------------------|--------------------------------|--------|---------|--------|---------------|
| | SC | Red-cockaded Woodpecker | Brittle Water nymph | <i>Najas minor</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Sacred Bamboo | <i>Nandina domestica</i> | forb | F,W | | |
| | SC | Red-cockaded Woodpecker | Serrated Tussock | <i>Nassella trichotoma</i> | grass | | | |
| | SC | Red-cockaded Woodpecker | Jointed Prickly Pear | <i>Opuntia aurantiaca</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Common Broomrape | <i>Orobanche minor</i> | forb | | | |
| | SC | Red-cockaded Woodpecker | Longstamen Rice, Red Rice | <i>Oryza longistaminata</i> | grass | | | |
| | SC | Red-cockaded Woodpecker | Red Rice | <i>Oryza punctata</i> | grass | | | |
| | SC | Red-cockaded Woodpecker | Japanese knotweed | <i>Polygonum cuspidatum</i> | forb | O | | |
| | SC | Red-cockaded Woodpecker | Arrowhead | <i>Sagittaria sagittifolia</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Kariba-Weed | <i>Salvinia molesta</i> | forb | A | | |
| | SC | Red-cockaded Woodpecker | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | |
| | SC | Red-cockaded Woodpecker | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | SC | Red-cockaded Woodpecker | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | SC | Red-cockaded Woodpecker | Winged False Buttonweed | <i>Spermacoce alata</i> | forb | | | |
| | TN | Grey Bat & Indiana Bat | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|------------------------|-----------------------|---|--------|---------|--------|---------------|
| | TN | Grey Bat & Indiana Bat | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | TX | BCV & GCW | Jointed Goatgrass | <i>Aegilops cylindrica</i> | grass | O | | |
| | TX | BCV & GCW | Corncockle | <i>Agrostemma githago</i> | forb | O | | |
| | TX | BCV & GCW | Tree of Heaven | <i>Ailanthus altissima</i> | tree | O,F | | |
| | TX | BCV & GCW | Camelthorn | <i>Alhagi camelorum</i> | forb | O | | |
| | TX | BCV & GCW | Garlic Mustard | <i>Alliaria petiolata</i> | forb | F | | |
| | TX | BCV & GCW | Alligatorweed | <i>Alternanthera philoxeroides</i> | forb | W,A | | |
| | TX | BCV & GCW | Giant Reed | <i>Arundo donax</i> | grass | W | | |
| | TX | BCV & GCW | Wild Oat | <i>Avena fatua</i> | grass | O | | |
| | TX | BCV & GCW | King Ranch Bluestem | <i>Bothriochloa ischaemum var. son-garica</i> | grass | O | | |
| | TX | BCV & GCW | Meadow Brome | <i>Bromus commutatus</i> | grass | O | | |
| | TX | BCV & GCW | Cheat | <i>Bromus secalinus</i> | grass | O | | |
| | TX | BCV & GCW | Downy Brome | <i>Bromus tectorum</i> | grass | O | | |
| | TX | BCV & GCW | Balloongrass | <i>Cardiospermum halicacabum</i> | vine | | | |
| | TX | BCV & GCW | Musk Thistle | <i>Carduus nutans</i> | forb | O | | |
| | TX | BCV & GCW | Buffelgrass | <i>Cenchrus ciliaris</i> | grass | O | | |
| | TX | BCV & GCW | Spotted Knapweed | <i>Centaurea maculosa</i> | forb | O | | |
| | TX | BCV & GCW | Russian Knapweed | <i>Centaurea repens</i> | forb | O | | |
| | TX | BCV & GCW | Yellow Star Thistle | <i>Centaurea solstitialis</i> | forb | O | | |
| | TX | BCV & GCW | Canada Thistle | <i>Cirsium arvense</i> | forb | O | | |
| | TX | BCV & GCW | Blessed Thistle | <i>Cnicus benedictus</i> | forb | | | |
| | TX | BCV & GCW | Elephant Ear | <i>Colocasia esculenta</i> | forb | O,W | | |
| | TX | BCV & GCW | Field Bindweed | <i>Convolvulus arvensis</i> | vine | O | | |
| | TX | BCV & GCW | Bermudagrass | <i>Cynodon dactylon</i> | grass | O | | |
| | TX | BCV & GCW | Purple Nutsedge | <i>Cyperus rotundus</i> | grass | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------|------------------------|---------------------------------|-------|---------|--------|---------------|
| | TX | BCV & GCW | Scotch Broom | <i>Cytisus scoparius</i> | forb | O | | |
| | TX | BCV & GCW | Wild Carrot | <i>Daucus carota</i> | forb | O | | |
| | TX | BCV & GCW | Common Water Hyacinth | <i>Eichhornia crassipes</i> | forb | A | | |
| | TX | BCV & GCW | Russian Olive | <i>Elaeagnus angustifolia</i> | forb | O | | |
| | TX | BCV & GCW | Quackgrass | <i>Elytrigia repens</i> | grass | O | | |
| | TX | BCV & GCW | Leafy Spurge | <i>Euphorbia esula</i> | forb | O | | |
| | TX | BCV & GCW | Hogweed | <i>Heracleum mantegazzianum</i> | forb | | | |
| | TX | BCV & GCW | Hydrilla | <i>Hydrilla verticillata</i> | forb | A | | |
| | TX | BCV & GCW | Swamp Morningglory | <i>Ipomoea aquatica</i> | vine | O | | |
| | TX | BCV & GCW | Ivyleafed Morningglory | <i>Ipomoea hederacea</i> | vine | O | | |
| | TX | BCV & GCW | Tall Morningglory | <i>Ipomoea purpurea</i> | vine | O | | |
| | TX | BCV & GCW | Buckthorn plantain | <i>Lantago lanceolata</i> | forb | | | |
| | TX | BCV & GCW | Lantana | <i>Lantana camara</i> | forb | O,F | | |
| | TX | BCV & GCW | Leucaena | <i>Leucaena leucocephala</i> | tree | | | |
| | TX | BCV & GCW | Japanese ligustrum | <i>Ligustrum japonica</i> | forb | O,W | | |
| | TX | BCV & GCW | Chinese Privet | <i>Ligustrum sinense</i> | forb | F,W | | |
| | TX | BCV & GCW | Persian Darnel | <i>Lolium persicum</i> | grass | | | |
| | TX | BCV & GCW | Poison Ryegrass | <i>Lolium temulentum</i> | grass | | | |
| | TX | BCV & GCW | Japanese Honeysuckle | <i>Lonicera japonica</i> | vine | O,F | | |
| | TX | BCV & GCW | Motojo-bobo | <i>Lycianthes asarifolia</i> | vine | | | |
| | TX | BCV & GCW | Common Horehound | <i>Marrubium vulgare</i> | forb | | | |
| | TX | BCV & GCW | Chinaberry Tree | <i>Melia azedarach</i> | tree | O | | |
| | TX | BCV & GCW | Brown Headed Cowbird | <i>Molothrus ater</i> | bird | O,F | | |
| | TX | BCV & GCW | Eurasian Water Milfoil | <i>Myriophyllum spicatum</i> | forb | A | | |
| | TX | BCV & GCW | Serrated Tussock | <i>Nassella trichotoma</i> | grass | | | |
| | TX | BCV & GCW | Branched Broomrape | <i>Orobanche ramosa</i> | forb | O | | |
| | TX | BCV & GCW | Red Rice | <i>Oryza sativa</i> | grass | | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------|-----------------------|------------------------------------|--------|---------|--------|---------------|
| | TX | BCV & GCW | Guineagrass | <i>Panicum maximum</i> | grass | O,W | | |
| | TX | BCV & GCW | African Rue | <i>Peganum harmala</i> | forb | O | | |
| | TX | BCV & GCW | Broadleaf Plantain | <i>Plantago major</i> | forb | | | |
| | TX | BCV & GCW | Annual Bluegrass | <i>Poa annua</i> | forb | | | |
| | TX | BCV & GCW | Mile-a-Minute Weed | <i>Polygonum perfoliatum</i> | forb | O,W | | |
| | TX | BCV & GCW | Japanese Knotweed | <i>Polygonum cuspidatum</i> | forb | O | | |
| | TX | BCV & GCW | Kudzu | <i>Pueraria montana var lobata</i> | vine | O,F | | |
| | TX | BCV & GCW | Annual Bastardcabbage | <i>Rapistrum rugosum</i> | forb | | | |
| | TX | BCV & GCW | Castorbean | <i>Ricinus communis</i> | tree | | | |
| | TX | BCV & GCW | Macartney Rose | <i>Rosa bracteata</i> | vine | | | |
| | TX | BCV & GCW | Multiflora Rose | <i>Rosa multiflora</i> | forb | O | | |
| | TX | BCV & GCW | Itchgrass | <i>Rottboellia cochinchinensis</i> | grass | | | |
| | TX | BCV & GCW | Curly Dock | <i>Rumex crispus</i> | forb | O,W | | |
| | TX | BCV & GCW | Russian Thistle | <i>Salsola Kali</i> | forb | O | | |
| | TX | BCV & GCW | Water Spangles | <i>Salvinia minima</i> | forb | A | | |
| | TX | BCV & GCW | Kariba-Weed | <i>Salvinia molesta</i> | forb | A | | |
| | TX | BCV & GCW | Chinese Tallow Tree | <i>Sapium sebiferum</i> | tree | O,F | | |
| | TX | BCV & GCW | Giant Foxtail | <i>Setaria faberii</i> | grass | O,W | | |
| | TX | BCV & GCW | Blessed Milkthistle | <i>Silybum marianum</i> | forb | O | | |
| | TX | BCV & GCW | Silverleaf Nightshade | <i>Solanum elaeagnifolium</i> | forb | | | |
| | TX | BCV & GCW | Tropical Soda Apple | <i>Solanum viarum</i> | forb | O | | |
| | TX | BCV & GCW | Red Imported Fire Ant | <i>Solenopsis invicta</i> | insect | | | |
| | TX | BCV & GCW | Johnsongrass | <i>Sorghum halepense</i> | grass | O | | |
| | TX | BCV & GCW | Giant Duckweed | <i>Spirodela oligorrhiza</i> | | | | |
| | TX | BCV & GCW | Tamarisk | <i>Tamarix spp.</i> | forb | O,W | | |
| | TX | BCV & GCW | Water Chestnut | <i>Trapa natans</i> | forb | W | | |
| | TX | BCV & GCW | Puncturevine | <i>Tribulus terrestris</i> | vine | O | | |

| Installation | State | T&E | NIS | Scientific Name | Form | Habitat | County | Border County |
|--------------|-------|-----------|-----------|----------------------------|------|---------|--------|---------------|
| | TX | BCV & GCW | Cocklebur | <i>Xanthium strumarium</i> | forb | O | | |

Appendix B: Information Sources for NIS Data

Alabama

The Nature Conservancy, Christopher Oberholster, c-oberholster@tnc.org
<http://www.invasive.org/seweeds.cfm>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Arizona

State Department of Agriculture, Jim McGinnis, 602-542-3292
USDA-Natural Resources Conservation Service, 602-280-8809
University of Montana,
http://invader.dbs.umt.edu/Noxious_Weeds/state_query.asp
International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

California

Jepson Herbarium, Bruce Baldwin, 510-643-7008
Sea Grant, <http://endeavor.des.ucdavis.edu/weeds/countylist.asp>
California Exotic Pest Plant Council,
<http://ucce.ucdavis.edu/files/filelibrary/5319/4898.pdf>
USDA, <http://plants.usda.gov/index.html>
International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>
Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Florida

Institute for Systemic Botany, www.plantatlas.usf.edu
Phytogeography and Floristic Survey of a Relic Area in the Marianna Lowlands,
Florida
American Midland Naturalist, Vol. 69, No. 2. (Apr., 1963), pp. 328-366.

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Georgia

USDA-Natural Resources and Conservation Service, 229-649-2625

<http://www.invasive.org/seweeds.cfm>

Georgia Exotic Pest Plant Council, <http://www.gaeppc.org/exotalk1.html>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Iowa

University of Montana,
http://invader.dbs.umt.edu/Noxious_Weeds/state_query.asp

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Indiana

USDA-Natural Resources Conservation Service, Bartholomew County, Julie Smith, 812-378-1280 ext. 109

USDA-Natural Resources Conservation Service, Johnson County, Alvin Balmer, 317-736-6822 ext. 191

USDA-Natural Resources Conservation Service, State Office, Dave Strattman, 317-290-3200 ext. 354

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

University of Montana,
http://invader.dbs.umt.edu/Noxious_Weeds/state_query.asp

Kentucky

Nature Preserves Commission, 502-573-2886, www.kynaturepreserves.org

USDA-Natural Resources Conservation Service, State Office, 859-224-7610, - 7370

<http://www.invasive.org/seweeds.cfm>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Louisiana

LSU Ag Center, <http://www.lsuagcenter.com/invasive/species.asp>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Mississippi

Museum of Natural Science,
http://www.mdwfp.com/museum/html/research/plant_db.asp

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

<http://www.invasive.org/seweeds.cfm>

University of Montana,
http://invader.dbs.umt.edu/Noxious_Weeds/state_query.asp

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Missouri

Missouri Botanical Gardens, George Yatskievych,
george.yatskievych@mobot.org,
<http://www.mobot.org/MOBOT/research/mepp/welcome.shtml>

Missouri Department of Conservation, Tim Smith, 573-751-4115, -3200

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Nevada

USDA-Natural Resources Conservation Service, 775-784-5318 ext. 118

Nevada Weed Action Committee,
http://agri.state.nv.us/nwac/NV_NoxWeeds.htm

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

New Jersey

Morris County NRCS, 908-852-2576

Department of Environmental Protection, 609-292-2885, -9410, -9400

The Nature Conservancy, Mike Vancleff, 973-300-0311

University of Montana,
http://invader.dbs.umt.edu/Noxious_Weeds/state_query.asp

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

New York

Department of Environment and Conservation 518-402-8996

Natural Heritage, Paul Novak, 518-402-8935

USDA-Natural Resources Conservation Service, 518-477-6525

Invasive Plant Council of New York State, <http://www.ipcnys.org/>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

North Carolina

Division of Parks and Recreation, Marty Kane, 919-841-4066

Division of Parks and Recreation, Sue Friger, 919-715-8694

<http://www.invasive.org/seweeds.cfm>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

USDA, <http://plants.usda.gov/index.html>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Oklahoma

USDA-Natural Resources Conservation Service, Mark Moseley, 405-742-1235

University of Montana,

http://invader.dbs.umt.edu/Noxious_Weeds/state_query.asp

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

South Carolina

USDA, <http://plants.usda.gov/index.html>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Department of Biological Sciences University of South Carolina,
<http://cricket.biol.sc.edu/herb/>

<http://www.invasive.org/seweeds.cfm>

International Birding Information Resource Data,
<http://i-bird.com/Species/BrnheadedCowbird.htm>

Tennessee

University of Tennessee, <http://tenn.bio.utk.edu/vascular/vascular.html>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

Texas

USDA-Natural Resources Conservation Service, 254-865-7012

Union of Concerned Scientists,

http://www.ucsusa.org/global_environment/invasive_species/texas1.pdf

International Birding Information Resource Data,

<http://i-bird.com/Species/BrnheadedCowbird.htm>

Purdue University, <http://www.ceris.purdue.edu/napis/pests/ifa/imap/ifaall.html>

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

| | | | | | |
|--|------------------------------------|-------------------------------------|--|---|---|
| 1. REPORT DATE (DD-MM-YYYY) 05-2006 | | 2. REPORT TYPE Final | | 3. DATES COVERED (From - To) | |
| 4. TITLE AND SUBTITLE Co-occurrence of Invasive Species on Priority TES Installations | | | | 5a. CONTRACT NUMBER | |
| | | | | 5b. GRANT NUMBER | |
| | | | | 5c. PROGRAM ELEMENT NUMBER | |
| 6. AUTHOR(S) Patrick J. Guertin and Scott Tess | | | | 5d. PROJECT NUMBER 622720A896 | |
| | | | | 5e. TASK NUMBER | |
| | | | | 5f. WORK UNIT NUMBER LB6D4B | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Engineer Research and Development Center (ERDC) Construction Engineering Research Laboratory (CERL) PO Box 9005 Champaign, IL 61826-9005 | | | | 8. PERFORMING ORGANIZATION REPORT NUMBER ERDC/CERL TR-06-12 | |
| 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of the Director of Environmental Programs 600 Army Pentagon Washington, DC 20310-0600 | | | | 10. SPONSOR/MONITOR'S ACRONYM(S) DAIM-ED | |
| | | | | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) | |
| 12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited. | | | | | |
| 13. SUPPLEMENTARY NOTES Copies are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. | | | | | |
| 14. ABSTRACT <p>Threatened and Endangered Species (TES) pose a significant conservation and compliance challenge for natural resources management on military lands. In FY 2003, the Army spent over \$30 million dollars on TES management issues. In addition to the stewardship challenges TES represent to the Army, TES are a significant factor in the restriction of military activities on training lands and thus affect military readiness. One factor that may represent a significant threat to the Army's ability to effectively manage TES and their habitat on military lands is the presence of Non-Indigenous Species (NIS). NIS alter the structure, function, and organization of ecological systems, thereby affecting the suitability of the habitat to support endangered populations.</p> <p>This research documents invasive plant species that have a high probability of existing in the same geographical areas as Army installations that have populations of high priority TES. This study is limited to Army installations with current populations of the top seven high-priority, federally listed, TES.</p> | | | | | |
| 15. SUBJECT TERMS threatened and endangered species natural resources management environmental planning Army facilities environmental compliance | | | | | |
| 16. SECURITY CLASSIFICATION OF: | | | 17. LIMITATION OF ABSTRACT SAR | 18. NUMBER OF PAGES 236 | 19a. NAME OF RESPONSIBLE PERSON Patrick J. Guertin |
| a. REPORT Unclassified | b. ABSTRACT Unclassified | c. THIS PAGE Unclassified | | | 19b. TELEPHONE NUMBER (include area code) (217) 352-6511 ext 5857 |